

Sl. No. :

HO/13

2013
HOMEOPATHY MEDICINE
(Degree Standard)

Time Allowed : 3 Hours]

[Maximum Marks : 300

1. The Indian Medical Council Execution Committee consists of -

- (A) President (B) President, Vice President
 (C) President, Vice President, 7 to 10 others (D) None of these

2. Xanthoprotic Reaction present in the poison of -

- (A) Sulphuric Acid (B) Oxalic Acid
 (C) Nitric Acid (D) Carbolic Acid

3. Fatal period of Oxalic Acid is :

- (A) 4 - 8 hours (B) 1 - 2 hours
 (C) 8 - 12 hours (D) 12 - 24 hours

4. The WHO declared that Smallpox was eradicated on _____.

- (A) 8th May 1980 (B) 8th July 1980
 (C) 8th December 1980 (D) None of these

5. Measles is most common during -

- (A) Spring (B) Summer
 (C) Winter (D) Spring and winter

6. Rabies is transmitted by the following -

- (A) Animal bite (B) Aerosol
 (C) Person to person (D) All of these

7. **Commonest STD in India is :**
~~(A)~~ Gonorrhoea (B) AIDS
(C) Syphilis ~~(D)~~ Herpes
8. **Immediate cause of death in Sulphuric acid poison is :**
(A) Renal failure (B) Starvation due to stricture of Oesophagus
(C) Hypostatic pneumonia ~~(D)~~ Circulatory collapse
9. **The symptoms of which cannot be studied while proving the drug on animals -**
(A) Objective ~~(B)~~ Subjective
(C) Both (A) and (B) (D) None of these
10. **Repair is defined as -**
(A) Fibrosis (B) Calcification
~~(C)~~ Reversion to Normalcy (D) Scar Formation
11. **Fatal dose of Sulphuric Acid is :**
(A) 1 - 2 ml (B) 2 - 5 ml
(C) 5 - 7 ml ~~(D)~~ 10 - 15 ml
12. **Chemical test to find out the ammonia poison material mixed with silver nitrate produce -**
~~(A)~~ Green precipitate (B) Yellow precipitate
(C) Brown precipitate (D) Black precipitate
13. **Chemical test for Hydrochloric Acid poison is :**
~~(A)~~ Silver nitrate produce white precipitate (B) Silver nitrate produce brown precipitate
(C) Silver nitrate produce yellow precipitate (D) Silver nitrate produce black precipitate
14. **Most immediate treatment of night blindness is :**
~~(A)~~ Vitamin A orally (B) Vitamin A parenterally
(C) Topical Vitamin A (D) All of these

15. Test for detecting Nitric Acid poison is :

- (A) Barium chloride produce white precipitate ~~(B) Brown ring formation at the junction of two liquids - Sulphuric acid and ferrous sulphate~~
(C) White ring formation at the junction of two liquids (D) Green ring formation

16. Section 193 IPC -

- (A) Causing disappearance of evidence (B) Refuse to answer
~~(C) Punishment for false evidence~~ (D) Legal protection to doctor

17. Fatal dose of Hydrochloric acid is :

- ~~(A) 15 - 20 ml~~ (B) 5 - 15 ml
(C) 10 - 20 ml (D) 20 - 30 ml

18. Home made oral rehydration fluid consists of -

- ~~(A) Water, Salt and Sugar~~ (B) Coconut water, Lime and Sugar
(C) Water, Jaggery and Baking soda (D) Water, lemon and Baking soda

19. The amount of Trisodium Citrate dihydrogen in Oral rehydration Solution (ORS) packed is :

- (A) 1 - 9 gms (B) 2 - 5 gms
(C) 1 - 5 gms ~~(D) 2 - 9 gms~~

20. In India, polio eradication programme should cover children up to _____ years of age.

- (A) 5 (B) 10
(C) 4 ~~(D) 3~~

21. The recommended dose of Hepatitis B immunoglobulin is ____ ml/kg body wt. in two doses 30 days apart.

- ~~(A) 0.05 - 0.07~~ (B) 0.1 - 0.3
(C) 0.03 - 0.05 (D) 0.5 - 1.0

22. Section 204 IPC -

- (A) Fabricating false evidence ~~(B)~~ Destruction of documents to prevent its production as evidence
(C) Legal protection to medical doctor (D) Omission to give notice to public

23. Loco parentis are -

- (A) District collector (B) Police inspector
~~(C)~~ In emergency involving children, person in charge of the child (D) None of these

24. The most common germ cell tumor of the ovary is :

- (A) Dysgerminoma ~~(B)~~ Benign Teratoma
(C) Immature teratoma (D) Endo dermal Sinus tumour

25. Caseation Necrosis is seen in -

- (A) Leprosy (B) Tuberculosis
(C) Rheumatic fever ~~(D)~~ Both (A) and (B)

26. Fibrinoid necrosis is a feature in -

- ~~(A)~~ Rheumatic fever (B) Acute Nephritis
(C) Tuberculosis (D) All of these

27. Cerebral stroke is associated with -

- (A) Thrombus (B) Embolism
~~(C)~~ Both of these (D) None of these

28. The Workman Compensation Act was passed in the year -

- (A) 1956 (B) 1916
~~(C)~~ 1923 (D) 1933

29. Reasons for obtaining consent is :

- (A) To kill a person ~~(B)~~ To examine, treat a person
(C) To dispose the dead body (D) Doctor may be charged for negligence

30. Amyloidosis is a type of -

- (A) Repair (B) Regeneration
(C) Degeneration (D) Fibrosis

31. Chronic inflammation ends in -

- (A) Granulation tissue (B) Bleeding
(C) Repair (D) Calcification

32. Contributory negligence means -

- (A) Negligence of the doctor (B) Negligence of the Government
(C) Negligence of the patient (D) None of these

33. For contraceptive sterilisation, consent of -

- (A) Wife alone (B) Husband alone
(C) Father-in-law alone (D) Husband and wife should be obtained

34. Indian Medical Council function is :

- (A) Recognition of foreign Medical service alone (B) Issuing of warning notice alone
(C) Maintain the medical register alone (D) All of these

35. GANGRENE is defined as -

- (A) Necrosis with water logging (B) Necrosis with Putrefaction
(C) Infarction type (D) None of these

36. Edema is pitting type of legs -

- (A) Renal failure (B) Anemia
(C) Cardiac failure (D) All of these

37. In Oxalic Acid poison, stomach wash -

- (A) Should not be given (B) Should be given
(C) Carefully can be given (D) None of these

38. Gas gangrene is a type of -
~~(A)~~ Infection (B) Syndrome
(C) Injury (D) All of these
39. Euthanasia means -
(A) Shooting a person ~~(B)~~ Producing painless death
(C) Killing by strangulation (D) None of the above
40. Koplik's spots are seen in -
~~(A)~~ Measles (B) Chicken pox
(C) AIDS (D) Mumps
41. The introduction of Oral Rehydration by WHO was done in -
(A) 1965 ~~(B)~~ 1971
(C) 1969 (D) 1981
42. Best method of contraception 24 hours post-coital is :
(A) Suction evacuation ~~(B)~~ Oral pills
(C) Menstrual regulation (D) IUD (Cu-T) insertion
43. Failure to improve in a case after the administration of most suitable anti-psoric remedy indicates -
(A) worsening of the cause (B) that the next remedy chosen should be similimum
(C) improvement in the state of mind and disposition ~~(D)~~ maintaining cause of disease persists
44. Function of State Medical Council is :
(A) Disciplinary control (B) Medical register
(C) Issuing of warning notice ~~(D)~~ All of these
45. Indian Medical Degree Act was passed in the year -
~~(A)~~ 1916 (B) 1933
(C) 1956 (D) 1948

46. Supra renal gland is related to _____ rib.

- (A) 9th (B) 10th
(C) 11th (D) 12th

47. McBurney's point locates -

- (A) By the superior Mesenteric vein (B) The Splenic vein
(C) At the level of 2nd Lumbar Vertebrae (D) All of these

48. Consumer Protection Act 1986 -

- (A) Provides compulsory health insurance for industrial workers (B) Provides payment of compensation to work man
(C) Provide better protection of the interest of consumers (D) None of these

49. Serious professional misconduct are -

- (A) Running a nursing home (B) Giving injection
(C) Any conduct of the Doctor regarded disgraceful and dishonourable (D) None of these

50. Highest Intercostal space used for liver biopsy is :

- (A) 6th (B) 7th
(C) 8th (D) 9th

51. Cisterna chyli opens at the level of -

- (A) T10 (B) T12
(C) L2 (D) L4

52. Abdominal Aorta bifurcates at lower border of -

- (A) T12 (B) L2
(C) L3 (D) L5

53. The Superior Mesenteric artery arises opposite the vertebral level -

- (A) T11 (B) T12
(C) L1 (D) L2

54. For infants, the vaccine given at birth is -

- ~~(A)~~ BCG (B) DFT
(C) Measles vaccine (D) None of these

55. Daily requirement of protein is :

- (A) 3 mg/kg (B) 2 mg/kg
(C) 4 mg/kg ~~(D)~~ 1 mg/kg

56. Structure lying at mid-point of Ant. Sup. Iliac spine and pubic symphysis is :

- ~~(A)~~ Femoral artery (B) Femoral vein
(C) Femoral nerve (D) Saphenous opening

57. The Trachea commences at the level of lower border of -

- ~~(A)~~ C5 ~~(B)~~ C6
(C) C7 (D) C8

58. Aedes mosquito transmits -

- (A) Dengue (B) Filaria
(C) Yellow fever ~~(D)~~ All of the above

59. Commonest complaint of women with intrauterine device inserted is :

- (A) Pain ~~(B)~~ Bleeding
(C) Weight gain (D) Foul discharge

60. The certificate for Yellow fever vaccine is maximally valid for _____ years.

- ~~(A)~~ 10 (B) 3
(C) 7 (D) Life long

61. Post exposure vaccination is used in -

- ~~(A)~~ Rabies (B) Pertusis
(C) Tuberculosis (D) P.U.O

62. Sodium Carbonate poison - a chemical test is mixed with Silver Nitrate produce -

- (A) Dark precipitate (B) Yellow precipitate
(C) Brown precipitate (D) None of the above

63. Which of the following take part in forming the boundaries of the foramen epiploicum ?

- (A) Gall bladder (B) Portal vein
(C) Descending part of duodenum (D) Inferior vena cava

64. The trachea bifurcates in full inspiration at the level of -

- (A) T4 (B) T5
(C) T6 (D) T7

65. Schick test is done for -

- (A) Diphtheria (B) Hepatitis B
(C) Yellow fever (D) None of the above

66. The spine of the Scapula is at the level of -

- (A) T1 (B) T2
(C) T3 (D) T4

67. Protein, fat and carbohydrate contents are maximum in -

- (A) Cocoa (B) Tea
(C) Coffee (D) All have equal

68. The superior angle of scapula is at the level of -

- (A) C7 (B) T1
(C) T2 (D) T3

69. The Bhole Committee recommended setting up health centres for a population of -

- (A) 40000 (B) 50000
(C) 75000 (D) 30000

70. Vitriol throwing means -

- (A) Throwing petrol (B) Throwing kerosene
(C) Throwing Sulphuric acid (D) Throwing soap water

71. Fatal dose of Sodium Hydroxide is :

- (A) 1 - 3 gms (B) 2 - 4 gms
(C) 5 gms (D) 10 gms

72. Carboic Acid poisoning is :

- (A) Ideal Homocide poison (B) Suicidal poison, accidental poison, rare homicide, Abortifacient
(C) Ideal Abortifacient (D) None of these

73. IUCD is contraindicated in -

- (A) Mild anemia (B) Hypertension
(C) Cholelithiasis (D) Infection

74. The best single laborotary aid in the diagnosis of tuberculosis is :

- (A) Chest X-ray (B) Skin test
(C) Physical examination (D) Sputum examination

75. First component of first heart sound is usually clearly heard on ventral surface of chest at -

- (A) 2nd intercostal space to right of sternum (B) 2nd intercostal space to left of sternum
(C) 5th intercostal space to left of the sternum (D) 5th intercostal space over the sternum

76. The coeliac axis arises from the aorta opposite the _____ vertebra.

- (A) T12 (B) L1
(C) L2 (D) L3

77. The portion of the Electro Cardiogram related to the propagation of the cardiac impulse between the S.A. node and the A.V. node is the -

- (A) QT interval (B) PR interval
(C) ST interval (D) RR interval

78. Net protein utilization is highest in -

- (A) Milk (B) Fish
(C) Mutton ~~(D) Egg~~

79. Essential hypertension is generally associated with an early increase in-

- (A) Oxygen use (B) Coronary flow
~~(C) Cardiac work~~ (D) Cardiac output

80. Ethical negligence means -

- (A) It is the failure of persons who are responsible for providing accommodation and facilities
(B) ~~It is the violation of the code of medical ethics~~
(C) Failure to co-operate with his doctor (D) When a doctor performs an illegal act

81. Opening of the left ventricular orifice is :

- (A) At the level of 2nd rib on left side (B) 4th intercostal space on right side
~~(C) 4th costal cartilage on left side~~ (D) At the level of 3rd intercostal space

82. The 3rd part of the (Horizontal) duodenum crosses the midline opposite to -

- (A) First lumbar vertebra (B) Second lumbar vertebra
~~(C) Third lumbar vertebra~~ (D) Fourth lumbar vertebra

83. All of the following aminoacids are Ketogenic except -

- (A) Tyrosine (B) Isoleucine
~~(C) Leucine~~ (D) Alanine

84. The base of the heart is related to -

- (A) Tracheal bifurcation (B) Azygous vein
(C) Central tendon of diaphragm ~~(D) Descending thoracic aorta~~

85. Emergency purification of water may be accomplished by -

- (A) Adding iodine (B) Boiling
(C) Adding Chlorine ~~(D) All are correct~~

86. Surface anatomy of the arch of Aorta is :

- (A) From 3rd rib on left side to 2nd rib on right side ~~(B) From the upper margin of 2nd rib on right side to the upper margin of 2nd rib on left side~~
(C) Extends from the margin of the sternum to the upper margin of the 2nd rib (D) Arises at the level of the 2nd rib

87. The causative organism of Poliomyelitis is :

- ~~(A) Entrovirus~~ (B) Brucellosis
(C) Arbovirus (D) Myxovirus

88. Dichotomy means -

- ~~(A) Disclosing the secrets of a patient~~ (B) Using agents for processing agents
~~(C) Receiving or giving commissions~~ (D) None of these

89. Conduction velocity is least in -

- (A) SA node ~~(B) AV node~~
(C) His bundle (D) Purkanjee fibres

90. The natural rate of rhythmic contraction is greatest in which part of the heart ?

- (A) Ventricular myocardium (B) Atria
~~(C) Sinoatrial node~~ (D) AV node

91. Breast feeding should be started within _____ of birth.

- ~~(A) 1 hour~~ (B) 1 - 2 hours
(C) 2 - 3 hours (D) 6 - 10 hours

92. Oral contraceptive pills increase the chances of all except -

- (A) Amenorrhoea ~~(B) Menorrhagia~~
(C) Withdrawal bleeding (D) Weight gain

93. Oral contraceptive pills alter the chances of Carcinoma of the following except -

- (A) Breast (B) Cervix
(C) Uterus ~~(D) Ovary~~

94. IUCD insertion is done during -

- (A) Menstruation
(B) Proliferative phase
(C) Ovulation
(D) Secretory phase

95. Requirement of extra calories for lactating mother during first 6 months is :

- (A) 550 K cal/d
(B) 400 K cal/d
(C) 350 K cal/d
(D) 750 K cal/d

96. Carbolic acid will be completely excreted from the body -

- (A) 2 - 6 hours
(B) 10 - 24 hours
(C) About 36 hours
(D) 48 - 72 hours

97. Triglyceride in serum are transported by -

- (A) HDL
(B) VLDL
(C) LDL
(D) Chylomicron

98. Cholesterol contains _____ carbon.

- (A) 21
(B) 4.7
(C) 27
(D) 1.0 - 5.0

99. *Entrobium vermicularis* is also known as -

- (A) Round worm
(B) Pin worm
(C) Thread worm
(D) Hook worm

100. Cyst of *Entamoeba histolytica* differs from all others by -

- (A) Size
(B) Number of nuclei
(C) Flagella
(D) Chromatid

101. Commonest cause of acute retention of urine in the aged -

- (A) Renal calculus
(B) Stricture urethra
(C) Bilateral hypertrophy of prostate
(D) Polycystic kidney

102. Tonsillitis is caused by -

- (A) Pseudomonas (B) Staphylo coccus
(C) Haemolytic Streptococcus (D) None of these

103. Diagnostic points for Hernia -

- (A) Impulse on coughing and reducibility (B) Invagination test positive
(C) Impulse on coughing may or may not be present (D) All of these

104. Flail chest is -

- (A) Due to congenital chest wall deformity (B) Blunt injury of the chest leading to rib bones
(C) Tuberculosis (D) None of these

105. Nasal polyp bleeds readily of a bright red blood. The drug of choice -

- (A) Thuja (B) Phosphorous
(C) Calc. Carb. (D) Hamamelis

106. In "Tennis Elbow", pain occurs -

- (A) Over medial epicondyl (B) Over wrist
(C) Over lateral epicondyl (D) Commonly seen in cricket players

107. In Tonsillitis, alternation of sides with shiny glazed appearance of throat is the characteristic feature of -

- (A) Lachesis (B) Kali Bichromicum
(C) Apismel (D) Lac caninum

108. Pathological fracture is common in -

- (A) Prostatic carcinoma (B) Osteoporosis
(C) Cushing syndrome (D) All of these

109. Indication for termination of pregnancy in Hyperemesis -

- (A) Fundal changes (B) Liver changes
(C) Jaundice (D) All of these

110. Which type of eclamsia has the worst prognosis ?

- (A) Antepartum (B) Post partum
(C) Intra partum (D) Imminent

111. Cryptomenorrhoea is :

- (A) Absence of menstruation (B) Concealed menstruation
(C) Primary Amenorrhoea (D) All of these

112. The human placenta weights about -

- (A) 1000 gms (B) 600 gms
(C) 500 gms (D) 800 gms

113. Organism commonly causing sterility in PID is :

- (A) Gonococcus (B) Streptococcus
(C) Staphylococcus (D) Haemophilus

114. Severe labour pain, the woman is cross and irritable with hour-glass contraction of uterus, the remedy of choice is :

- (A) Caulophyllum (B) Chamomille
(C) Pulsatilla (D) None of these

115. For constipation occuring during pregnancy the indicated drug is :

- (A) Bryonia (B) Sulphur
(C) Collinosmia (D) None of these

116. Amenorrhoea with haemoptysis instead of menses is characteristic of -

- (A) Phosphorus (B) Ipecae
(C) Hamamelis (D) Bryome

117. Prolapse of uterus relieved by crossing the legs accompanied with Menorrhagia and excessive sexual desire is indicated by -

- (A) Sepia (B) Pulsatilla
(C) Murex (D) None of these

118. Toothache during pregnancy in drug 'Mag carb' is relieved by -

- (A) Lying and Rest (B) Pouring cold water
(C) Walking continuously (D) Pressing the teeth

119. Lord Bacon was a native of -

- (A) Germany (B) England
(C) Rome (D) None of the above

120. The commonest complication of Hydatidiform mole is :

- (A) Development of carcinoma (B) Perforation
(C) Incomplete evacuation (D) Sepsis

121. The common heart disease in pregnancy is :

- (A) Congenital (B) Ischaemic and Syphilitic
(C) Rheumatic (D) All of these

122. Post partum Eclamsia starts after how many hours after delivery ?

- (A) 12 - 24 hours (B) 24 - 28 hours
(C) 48 - 72 hours (D) 71 - 96 hours

123. Precocious puberty is :

- (A) Before the age of 8 (B) Before the age of 10
(C) At the age of 12 (D) None of these

124. Menorrhagia the most distressing dysmenorrhoea of "Sabina" is characterised by labor like pains as -

- (A) Shooting up the vagina to uterus (B) From sacrum to pubis (back to front)
(C) From pubis to sacrum (Front to back) (D) All of these

125. In P.P.H the indication of Drug 'Secale Cor' is :

- (A) Flow is continuous oozing of dark offensive blood (B) Expulsive bearing down labour like pain
(C) Paralytic state (D) All of these

126. Menses only one day or lasting for one hour is the characteristic symptom of -
(A) Lachesis (B) Allium cepa
~~(C) Euphrasia~~ (D) Calc. Carb
127. Alternating action is a type of -
(A) Secondary action ~~(B) Primary action~~
(C) Both (A) and (B) (D) Secondary curative action
128. Tension in pneumothorax occurs in -
(A) Open pneumothorax (B) Closed pneumothorax
~~(C) Valvular pneumothorax~~ (D) Oesophageal rupture
129. Great debility, slides down in bed, lower jaw hangs down, with discharges putrid in typhoid fever is indicated by -
(A) Arsenicum alb (B) Rhustox
(C) Merc. Cor ~~(D) Muriatic acid~~
130. In pneumonia, phosphorus worse on -
~~(A) Lying on left side~~ (B) Upper right lung
(C) Lower right lung (D) Lower left lung
131. The commonest cause of sudden death is :
(A) Atrial fibrillation ~~(B) Ventricular fibrillation~~
(C) Congestive cardiac failure (D) Complete heart block
132. In the absence of coronary artery disease, Angina pectoris occurs most frequently in -
~~(A) Aortic stenosis~~ (B) Mitral stenosis
(C) Mitral regurgitation (D) Aortic regurgitation
133. Diabetes of nervous origin, urine increased, often milky in colour, patient indifferent and apathetic poor in mental and physical force. The drug of choice is :
(A) Acetic acid (B) Syzygium
~~(C) Phosphoric Acid~~ (D) None of these

134. In pericarditis or in any heart affection, sharp pain shooting from heart to back down the arms and there is purring sensation over the cardiac region is characterized by -

- (A) Cactus
(C) Kalmia
(B) ~~Spigelia~~
(D) Digitalis

135. Which one of the following eczema is correctly matched ?

- (A) Eczema capitis - Bovista
(C) Eczema behind ear - Mezenium
(B) ~~Eczema pudendi - Croton tig~~
(D) Eczema dorsum of hands - Graphites

136. In a case of intermittent fever, 'Nat.mur' is indicated by -

- (A) Chill commencing from 10 AM
(C) ~~Both (A) and (B)~~
(B) Violent headache relieved by excessive perspiration
(D) None of these

137. In the following, which is correctly matched ?

- (A) ~~Carrion like - Arsalb~~
(C) ~~Decomposed cheese - Hepsulph~~
(B) Cadaver like - Chemomille
(D) Sour smelling - Mercurius

138. The child vomits during the mother's feeding when the mother is angry. The remedy is :

- (A) ~~Ipecac~~
(C) ~~Valeriane~~
(B) Silicea
(D) Samicule

139. Which of the following is correct ?

1. Late walking - Calc. carb
2. Late walking to talk - Nat.mur
3. Late learning to talk and walk - Agaricus
4. Late learning to walk - Barytacarb

- (A) 1 and 2 correct
(C) 1,3 and 4 correct
(B) ~~1,2 and 3 correct~~
(D) ~~All 4 are correct~~

140. Natrum mur patient is characterized by following except -

- (A) Highly emotional
(C) Consolation aggravates
(B) ~~Craves for music~~
(D) Wants to be alone.

141. The modality of Kalicarb in asthma -

- (A) 12 AM < (B) 5 - 6 AM & rest
(C) Rocking in a chair (D) None of these

142. Complaints from combination of vexation, anxiety and prolonged loss of sleep due to nursing close member of family -

- (A) Nux vomica (B) Opium
(C) Cocculus (D) Ignatia

143. Which of the following is correctly matched ?

- (A) Salt disagrees - Arg. Nit. (B) Milk disagrees - Mag.C, Lac.defl
(C) Sweet disagrees - Thuja, Lycopedia (D) Onion disagrees - Phos. Alumina

144. Complaints of Staphysagria are aggravated out of -

- (A) Excitement (B) Noise
(C) Night watching (D) Pent up wrath

145. The red line mental symptom of 'Marking Nut' -

- (A) Suicidal tendency by drowning (B) Irresistible desire to curse and swear
(C) Impulse to murder (D) None of these

146. The fixed idea of pulsatilla -

- (A) Like animal moving in abdomen (B) Sexual intercourse is a crime
(C) One will commanding to do and one will commanding not to do (D) None of these

147. Headache of sepia is relieved by -

- (A) Riding in a carriage (B) By walking in open air
(C) By continued hard motion (D) None of these

148. Vertigo on closing the eyes is one of the red line symptom of -

- (A) Tobaccum (B) Theridion
(C) Thuja (D) None of the above

149. The leading symptoms of 'Argentum nitricum' are following EXCEPT:

- (A) Anticipatory anxiety (B) Symptoms < at menstrual period
(C) Sweet craving (D) Palpitation lying on left side

150. The complaints of Zincum met is relieved

- (A) Before menses (B) After menses
(C) During menses (D) Before and during menses

151. Antidote for snake bite is :

- (A) Nuxvomica (B) Phosphorous
(C) Cedron (D) Ledum

152. Indication of Graphites in Eczema is :

- (A) Oozing of sticky fluid (B) Sites-Bend of knees, folds behind ears.
(C) The subject who is habitually constipated (D) All the above

153. Name the remedy whose common name is "Sulpheret of Lime".

- (A) Calc. Phos. (B) Calc. Carb.
(C) Causticum (D) Hep. Sulph.

154. Name the "Homeopathic dynamic antiseptic".

- (A) Hypericum (B) Echinasia
(C) Pyrogen (D) Calendula

155. Baby cries all day, sleeps all night -

- (A) Aconite (B) Sambucus
(C) Lycopodium (D) Psorinum

156. Wants to commit suicide by hanging -

- (A) Aur. met (B) Ars alb
(C) Arg. Nit. (D) None of these

157. What is key note of Bell ?

- (A) Congestion (B) Pale skin
(C) Cyanosed skin (D) None of these

158. Better by riding in a carriage is the modality of -
(A) Lachesis (B) Pulsatilla
(C) Nux. Vomica (D) Nitric acid
159. Solid stool passes involuntarily, dropping away unnoticed by the child is the indication of -
(A) Graphites (B) Aloes
(C) Silicea (D) Causticum
160. Leopards Bane is the common name of -
(A) Bryonia (B) Gelsemium
(C) Arnica (D) Crocus Sat
161. The highest ideal of cure is discussed in the aphorism -
(A) 1 - 3 (B) 2
(C) 4 - 6 (D) 1 - 5
162. If the medicines are proved on sick persons and if the drug symptoms are similar to his disease the following result will be -
(A) Suppression (B) Palliation
(C) Cure (D) Recovery
163. The remedy to be administered in the case of intermittent fever -
(A) During sweat stage (B) During pyrexia
(C) During apyrexia (D) No specificity
164. The complex disease is one disease condition when any one of the following are present at the same time in a person.
(A) Two similar (B) Two dissimilar diseases
(C) More than one dissimilar disease (D) One similar
165. Never repeat the remedy when -
(A) The patient is improving (B) Physical complaints are reduced
(C) Mental symptoms are increased (D) The attack of acute disease

166. Taste in the mouth is putrid and sweet is a symptom of -

- (A) Psoric miasm (B) Sycotic miasm
(C) Pseudo-psoric miasm (D) Syphilitic miasm

167. According to pure kentien school, the idea of administering inter current remedy is :

- (A) Unfavoured (B) Favourable
(C) Unanimous acceptance (D) Complicating

168. Occupational diseases are -

- (A) Miasmatic disease (B) Intermittent disease
(C) Non-miasmatic disease (D) Individual disease

169. Idiots, imbeciles, deaf and dumb possess -

- (A) High degree of susceptibility (B) Low degree of susceptibility
(C) Medium degree of susceptibility (D) All of these

170. Homeopathic aggravation is :

- (A) Unfavourable for cure (B) Patient gets excited
(C) Favourable for cure (D) None of these

171. Mention the type of idiosyncrasy which is most difficult to cure.

- (A) Innate (B) Acquired
(C) Chronic (D) None of these

172. Who compared the term 'susceptibility' with that of 'vacuum' ?

- (A) St. Close (B) C.Dunham
(C) J.T.Kent (D) H.A.Robert

173. Nocturnal Eneuresis belongs to -

- (A) Sycotic Miasm (B) Syphilitic miasm
(C) Tubercular miasm (D) None of these

174. Write the miasm for - Fatigue is accompanied by desire to lie down.

- (A) Latent psora (B) Latent syphilis
(C) Primary psora (D) Secondary psora

175. Cleft pallet belongs to which miasm ?

- (A) Tubercular (B) Syphilitic
(C) Psoric (D) None of these

176. Mention the correct miasm for "Ptosis of lids".

- (A) Psoric (B) Sycotic
(C) Syphilitic (D) Primary Sycotica

177. Write the aphorism insist only one, single, simple remedy should be given to the patient at a time.

- (A) 272 (B) 138
(C) 149 (D) 274

178. Which of the following will cure a patient ?

- (A) Proper evaluation (B) Proper care taking
(C) Proper rubric selection (D) Proper interpretation

179. Tick the importance of synthetic repertory as it consists of -

- (A) Peculiar (B) Uncommon
(C) General (D) High grade particulars

180. Which section of Kents repertory consists the Rubric Nymphomania ?

- (A) Genitalia Female (B) Generality
(C) Mind (D) None of them

181. Where will you find "Rubric snoring"?

- (A) Mind (B) Sleep
(C) Nose (D) Respiration

182. Effect of weather pertaining to the class of symptom -
 (A) Generalities (B) Uncommon
 (C) Particular symptom (D) Characteristic symptom
183. Causative modalities are given higher importance in selection of medicine in -
 (A) Kent's repertory (B) Boger's repertory
 (C) Card repertory (D) Lippe's repertory
184. Synthetic repertory contains how many drugs ?
 (A) 1500 (B) 1240
 (C) 1430 (D) 1594
185. Which repertory used for Dr. M.L.Dhawale's method ?
 (A) Kent's repertory (B) Boenninghausen's characteristics and Repertory by Boger
 (C) Kishore's Card repertory (D) Therapeutic Pocket book by Boenninghausen
186. Hahnemann himself used to refer to a repertory written in his own handwriting compiled in the year -
 (A) 1817 (B) 1819
 (C) 1818 (D) 1820
187. Boenninghausen in his repertory gave much importance to -
 (A) Sensation (B) Concommittents
 (C) Mental generals (D) Physical generals
188. Diabetes mellitus belongs to the chapter in Kent's repertory -
 (A) Generalities (B) Abdomen
 (C) Urine (D) Bladder
189. The outwardly reflected picture of internal essence of the disease is :
 (A) Subjective symptoms (B) Objective symptoms
 (C) Totality of the symptoms (D) Pathological symptoms

190. Accessory symptoms of medicine are those which appear after the administration of -
(A) Similimum (B) Indicated medicine
~~(C) Partially indicated medicine~~ (D) None of these
191. Potency selection is made on the basis of -
(A) Susceptibility of the patient (B) Nature of the disease
(C) Similarity of medicine and disease ~~(D) All of these~~
192. Kent's view on Boenninghasen's repertory is unsatisfactory because -
(A) Modalities of patient and particulars are mixed (B) Only purely particulars are present
(C) Generals absent ~~(D) All of these~~
193. In Kent's repertory, Leukamia belongs to the chapter -
(A) Blood (B) Circulatory system
(C) Skin ~~(D) Generalities~~
194. After analysis of a repertorial case with the help of patients other symptoms which are NOT included under repertorization should be differentiated. This method is called -
(A) Analysis (B) Evaluation
~~(C) Potential differential field~~ (D) None of these
195. In Boenninghausen's repertory, "stupefaction" belongs to -
(A) Sensorium (B) Ext. head
~~(C) Intellect~~ (D) Complaints
196. Repertory of intermittent fever was published by -
~~(A) W.A.Allen~~ (B) H.C.Allen
(C) T.F.Allen (D) Milton

197. Removal of exciting cause alone is sufficient to restore the original healthy state in -

- (A) Indisposition (B) Acute diseases
 (C) Both (A) and (B) (D) None of these

198. Medical powers are stronger than the natural diseases because medicine -

- (A) Cannot prevent disease (B) Cannot palliate disease
 (C) Acts unconditionally (D) None of these

199. The qualities of physician in order to be a practitioner of healing art -

- (A) Knowledge of medicine (B) Knowledge of disease
 (C) Knowledge of preparation of medicine (D) All of these

200. Homeopathic medicines are proved on -

- (A) Animals (B) Healthy human beings
 (C) Cellular levels (D) Chemical Analysis