

PUNJAB PUBLIC SERVICE COMMISSION

Objective Type Test (October-2017) for Recruitment of Homoeopathic Medical Officers in the Department of Health & Family Welfare, Government of Punjab

READ INSTRUCTIONS BEFORE FILLING ANY DETAILS OR ATTEMPTING TO ANSWER THE QUESTIONS.

Candidate's Name _____

Father's Name _____

Date of Birth

DD MM YYYY

Category Code*

(*as given in the admit card)

OMR Response Sheet No. _____

Roll No. _____



Candidate's Signature (Please sign in the box)

Question Booklet Set

A

Booklet Series No.

INSTRUCTIONS

<p>1. The candidate shall NOT open this booklet till the time told to do so by the Invigilation Staff. However, in the meantime, the candidate can read these instructions carefully and subsequently fill the appropriate columns given above in CAPITAL letters. The candidate may also fill the relevant columns (other than the columns related to marking responses to the questions) of the Optical Mark Reader (OMR) response sheet, supplied separately.</p>	<p>9. The candidates shall ensure that the responses are marked in correct manner and any adverse impact due to wrong marking of responses would be the responsibility of the respective candidate. The following are some of the examples of wrong marking of responses on the OMR response sheet.</p> <div style="text-align: center; margin: 5px 0;">  </div>
<p>2. Use only blue or black ball point pen to fill the relevant columns on this page. Use of fountain pen may leave smudges which may make the information given by the candidate here illegible.</p> <p>3. The candidate shall be liable for any adverse effect if the information given above is wrong or illegible.</p>	<p>10. The candidates, when allowed to open the question paper booklet, must check the booklet to confirm that the booklet has complete number of pages, the pages printed correctly and there are no blank pages. In case there is any such error in the question paper booklet then the candidate should immediately bring this fact to the notice of the invigilation Staff and obtain a booklet of the same series as given earlier.</p>
<p>4. Before attempting the paper, the candidate must fill all the columns given above on this page and sign at the appropriate place.</p> <p>5. Each candidate is required to attempt 100 questions in 120 minutes, except for orthopaedically/visually impaired candidates, who would be given 40 extra minutes, by marking correct responses on the OMR sheet which would be supplied separately to the candidates.</p>	<p>11. The serial number of the new booklet should be entered in the relevant column of the OMR. The Invigilation Staff must make necessary corrections in their record regarding the change in the serial no. of question booklet.</p>
<p>6. The candidate must write the following on the OMRs sheet: (a) Serial number of OMR sheet supplied to him/her for marking the responses to the questions. (b) Serial number of the question booklet (c) Series of the question booklet. Failure to do so may lead to cancellation of candidature or any other action which the Commission may deem fit.</p>	<p>12. The question paper booklet has 16 pages.</p> <p>13. Each question shall carry three marks.</p>
<p>7. The candidate should darken the appropriate response to the question by completely darkening the appropriate circle/oval according to his/her choice of response i.e. a, b, c or d in the manner shown in the example below.</p> <div style="text-align: center; margin: 5px 0;">  </div>	<p>14. There are four options for each question and the candidate has to mark the MOST APPROPRIATE answer on the OMR response sheet using blue or black ball point pen.</p>
<p>8. Partly darkening the circle/oval on the OMR response sheet or using other symbols such as tick mark or cross would not result in evaluation of the response as the OMR scanner can only interpret the answers by reading the darkened responses in the manner explained in preceding paragraph. Darkening more than one circle/oval as response to a question shall also be considered as wrong answer. The candidates are advised not to erase any marked answer on the OMR sheet as it may lead to double reading of the answer by the scanner.</p>	<p>15. There is no negative marking for wrong answers or questions not attempted by the candidate.</p>

1. The sources of the rules of homoeopathic pharmacy are all except _____.
 - (a) Essay on a new principle for ascertaining the curative powers of drug, organon of medicine
 - (b) The wonderful construction of human hand
 - (c) Chronic diseases (part I to IV), Materia Medica Pura
 - (d) On the value of speculative systems of medicine

2. Alcohol is a powerful preserver of plants and animals tissue at _____ strength.
 - (a) 90%
 - (b) 70%
 - (c) 80%
 - (d) 95%

3. "Agit. A. us" is the abbreviation of _____.
 - (a) Though shake
 - (b) Shake as required
 - (c) Shake before using
 - (d) All of the above

4. According to Hahnemann how long the power of globule remains undiminished and used for olfaction if kept away from sunlight?
 - (a) 1-5 yrs
 - (b) 6-8yrs
 - (c) 18-20yrs
 - (d) 5-10yrs

5. Aversion to meat belong to which miasm?
 - (a) Tubercular
 - (b) Sycosis
 - (c) Syphillis
 - (d) All of the above

6. Boenninghausen is praised by Hahnemann for choice of suitable homoeopathic remedies for various epidemics of fever is in section _____ of Organon of Medicine.
 - (a) 236
 - (b) FNS 238
 - (c) FNS 236
 - (d) FNS 235

7. Regarding diseases which is wrong?

- (1) Disease is the dynamic alteration of V.F.
- (2) Symptoms are the expression of the disease
- (3) Symptoms are the essence of the disease
- (4) V.F. is autocratic in disease.

- (a) 1,2,3
- (b) 3
- (c) 2,4
- (d) 3,4

8. (1) The curves and lines of chest are imperfect. The chest is often narrow, lacking not only in width laterally, but in depth antero-posteriorly, the subclavicular spaces are hollow, or certain areas sunken or depressed.
- (2) Craves potatoes, meat and many reject the fat
- (3) Better of mental symptoms by an outbreak of an ulcer
- (4) Child smells musty-mouldy.

Which of the above symptom included in tubercular miasm?

- (a) 1,2,4
- (b) 1,2
- (c) 3,4
- (d) 1,2,3,4

9. Match A and B

A

- 1. Psora
- 2. Syphilis
- 3. Tubercular
- 4. Sycosis

B

- 5. Bones of nose are destroyed
- 6. Desire for tea, coffee, tobacco, wines, hot aromatic things
- 7. Hunger with weak all gone sensation before eating
- 8. A child worse by eating and is relieved by lying on stomach

- (a) 1-7, 2-5, 3-6, 4-8
- (b) 1-8, 2-7, 3-6, 4-5
- (c) 1-5, 2-7, 3-6, 4-8
- (d) 1-6, 2-5, 3-7, 4-8

10. _____ in Homoeopathy denotes the identification and determination of the individuality of the patient & assessing his singularity in contrast to other patients suffering from the same disease from the medical history of the patient.

- (a) Individuality
- (b) Diagnosis
- (c) Anamnesis
- (d) All of the above

11. Moon phase is found in which Repertory ?
- (a) Boger-Boenninghausen's Repertory
 - (b) BTPB
 - (c) Boger's Synoptic key
 - (d) Kent Repertory
12. Boger has divided the preface into ___ parts which are considered as Boger's contribution to repertory ?
- (a) 3
 - (b) 5
 - (c) 2
 - (d) 4
13. A patient examined by an ophthalmologist has been diagnosed with haemorrhage into the vitreous chamber, which is non-inflammatory in character. Which of the following medicines do you recommend for the absorption of blood ?
- (a) Led Pal
 - (b) Lach
 - (c) Millefolium
 - (d) Crotalus
14. A female patient aged around 30 years complains of a lot of suffering during her two pregnancies, especially morning sickness; on further enquiry she revealed of pain in abdominal ring, as if something were forced through; as also abdominal muscles weak as if a hernia would take place. Which medicine do you recommend ?
- (a) Tabacum
 - (b) Acet. Ac.
 - (c) Cocc.
 - (d) Lac. Ac.
15. A female patient had had a fall two years back. Now the patient complains that below two clavicles and under left breast she feels as if wet clothes were applied whenever she goes out of doors. Which of the following medicines is most suitable to this patient ?
- (a) Acon.
 - (b) Ran. B.
 - (c) Hep. S.
 - (d) Rhus Tox.
16. Which of the following medicines is recommended for headache in a cachectic patient with red face, nausea and vomiting before, during and after menstruation ?
- (a) Nat. Mur.
 - (b) Sec. C.
 - (c) Sarsaparilla
 - (d) Tuberculinum

17. A middle aged male patient complains of chronic dry, barking cough which abates after eating and drinking, especially warm drinks. The patient also complains of surging of heart into chest, as if it would force out upward.
- Dig.
 - Coca
 - Spongia
 - Tabacum
18. Commonly indicated medicines acute viral fevers are Aconite, Gelsemium, Eupatorium Perf., Rhus Tox. Ocimum Sanctum etc. Which of the following pairs lacks a perfect similimum ?
- Acon. – cold waves pass through him, thirst and restlessness always present.
 - Gelsemium – Wants to be held, he shakes so; thirstless, excessive weakness, stupor, dizziness, faintness and thirstless.
 - Eup. Perf. – Aching in every bone, great prostration
 - Ocimum Sanctum – Fever with cough, acute pains in body; bone pains; soreness of muscles and terrible headache
19. A patient is presenting with neuralgic pain, commencing in the temporal region, with scalding lachrymation of affected side. The same patient also has headache from overwork. Medicine indicated is –
- Cimicifuga
 - Puls.
 - Kalmia
 - Arg. Nit.
20. Mention the medicine best suited to a person in whom intellectual faculty is prominent, suffering from sciatica; pain agg. When straightening out limb, during rest from previous exercise. Which of the medicines is indicated?
- Bell.
 - Rhus Tox.
 - Tarantula
 - Valeriana
21. Match the list I with II and select the correct answer using the code given below:
- | | |
|------------------------------|--------------|
| A. Scrawny, thin | 1. Bell |
| B. Full blooded, plethoric | 2. Ver. V |
| C. Plethoric constitution | 3. Ignatia |
| D. Sensitive, easily excited | 4. Sec. Cor. |
- A-4, B-1, C-3, D-2
 - A-4, B-3, C- 2, D-1
 - A-4, B-2, C-3, D-1
 - A-4, B-2, C-1, D-3

22. Which of the following is an incorrect match?

- | | |
|--|---------------|
| A. Weakness follows vomiting causing drowsiness | 1. Ver. Alb. |
| B. Vomiting excessive with nausea and great prostration | 2. Colch. |
| C. Vomiting on least motion with faintness | 3. Aethusa C. |
| D. Nausea and faintness from odors, bad effects
From night watching | 4. Bry. |

- (a) A – 3
- (b) B – 2
- (c) C – 4
- (d) D – 2

23. Which of the following statements is false?

- (a) Attacks of colic in Aloe Soc. Is preceded by obstinate constipation
- (b) Platina is not indicated in obstinate constipation after Nux has failed
- (c) Plumbum is indicated in obstructed evacuation from indurated feces
- (d) Psorinum is indicated in constipation from inactivity of rectum

24. Periodicity of medicines are very important characteristic symptom of homoeopathic medicines. Find from below the false statement about periodicity of medicines ?

- (a) Supra-orbital neuralgia, periodic. – Cedron
- (b) Symptoms return at same time every year. – Urtica Urens
- (c) Feeling of stone in rectum at same hour daily. – Ruta
- (d) Periodicity is most marked. – Cinchona

25. A mother comes with her girl child with a non-healing ear lobe after piercing the ear. Which of the medicines is indicated ?

- (a) Stannum Met.
- (b) Led Pal.
- (c) Calendula
- (d) Hypericum

26. A patient has been diagnosed to be suffering from Malaria. The paroxysm of fever are associated with a finding that the patient wants covering in chill and heat stage, also remain covered in heat stage. The patient feels chilly when moves or uncovers. Which of the medicines is most suitable ?

- (a) Nux vom
- (b) Chin Sulph.
- (c) Ars Alb.
- (d) Bryonia

27. A patient complains of suffering from urticaria from childhood. After a period of 20 years of suffering from his usual urticaria, he now suffers from attacks like croup. Which of the following medicines do you consider ?
- (a) Hep Sul
 - (b) Spong.
 - (c) Ars. Alb.
 - (d) Rhus Tox.
28. Tetralogy of Fallot consists of Ventricular septal defect, Pulmonary stenosis, Right ventricular hypertrophy and Aorta overriding the ventricular septum. Severity of the disease depends greatly on the degree of –
- (a) Ventricular septal defect
 - (b) Right ventricular hypertrophy
 - (c) Pulmonary stenosis
 - (d) Aorta overriding the ventricular septum
29. Which of the following methods is best to elicit the murmur of Aortic regurgitation ?
- (a) After exercise, left lateral recumbent position
 - (b) After exercise when standing
 - (c) Patient leaning forward, breath held in expiration
 - (d) Use stethoscope diaphragm, during inspiration
30. Kaposi's sarcoma arises from which of the following tissues
- (a) Muscular
 - (b) Vascular
 - (c) Neural
 - (d) Lymphoid
31. Which of the following about Anemia of chronic disease is true ?
- (a) Deficiency of erythropoietin
 - (b) Chronic inflammation
 - (c) Cytokine driven inhibition of red cell production
 - (d) None of the above
32. In a peripheral smear granules of siderocytes containing iron is found. Which of the following is false ?
- (a) Post-splenectomy
 - (b) Lead poisoning
 - (c) Sideroblastic anemia
 - (d) Carcinomatosis
33. Which of the following is false about complete remission in Acute myeloid leukemia ?
- (a) Neutrophil count $\geq 1500/\mu\text{l}$, platelet count $\geq 1,00,000/\mu\text{l}$
 - (b) Bone marrow cellularity should be $>20\%$ with trilineage maturation
 - (c) Bone marrow should contain $< 5\%$ blasts and Auer rods should be absent.
 - (d) Correction in Hb concentration and Hematocrit

34. Which of the following is not an invariable accompaniment of Meningitis?
- (a) Nuchal rigidity
 - (b) Headache
 - (c) Photophobia
 - (d) Fever
35. The commonest type of thyroid malignancy is
- (a) Medullary thyroid carcinoma
 - (b) Follicular thyroid carcinoma
 - (c) Anaplastic thyroid carcinoma
 - (d) Papillary thyroid carcinoma
36. Which of the following finding is consistent with Osteopenia
- (a) T score ≥ -1.0
 - (b) T score $-1.0 - -2.5$
 - (c) T score < -2.5
 - (d) T score < -2.5 with a fracture
37. A patient presenting with type 1 respiratory failure. Which of the following conditions you can rule out ?
- (a) Pulmonary edema
 - (b) Fibrosing alveolitis
 - (c) Pneumonia
 - (d) COPD
38. A patient presenting with fibrotic shadow in lower zone of lungs. Which of the following is the most probable diagnosis ?
- (a) Extrinsic allergic alveolitis
 - (b) Progressive massive fibrosis
 - (c) Ankylosing spondylitis
 - (d) Asbestosis
39. A patient presenting with short metacarpals(esp. 4th and 5th), round face, short stature, low Ca^{2+} , high PTH normal or increased Alkaline phosphatase. The patient is suffering from –
- (a) Primary hypoparathyroidism
 - (b) Secondary hypoparathyroidism
 - (c) Pseudo hypoparathyroidism
 - (d) Pseudopseudo hypoparathyroidism
40. Which of the following is true about an acute attack of Bronchial asthma ?
- (a) PaO_2 increased, $PaCO_2$ decreased
 - (b) PaO_2 decreased, $PaCO_2$ increased
 - (c) PaO_2 normal, $PaCO_2$ increased
 - (d) PaO_2 slightly decreased, $PaCO_2$ low

41. What about Nephrotic syndrome is false ?
- (a) Na⁺ retention in extracellular space
 - (b) Plasma oncotic pressure is reduced
 - (c) Hypertension or normotension
 - (d) Proteinuria > 3gm /24 hr.
42. All of the following are considered in differential diagnosis of thunderclap headache except –
- (a) Pheochromocytoma
 - (b) Cervico-cephalic arterial dissection
 - (c) Cerebral venous thrombosis
 - (d) Capillary telangiectasias
43. Which of the following can precede the classic motor features of Parkinson's disease?
- (a) Constipation and anosmia
 - (b) Mood disorders
 - (c) REM behaviour sleep disorder
 - (d) Cardiac denervation
44. Classifying a neuropathy as being due to axonal degeneration or segmental demyelination is best diagnosed by
- (a) Nerve biopsy
 - (b) Lumbar puncture
 - (c) Nerve conduction studies
 - (d) Skin biopsies
45. Which of the following practice is not advocated in prevention of Gout ?
- (a) Lose weight
 - (b) Prolonged fast
 - (c) Avoid alcohol excess
 - (d) Low dose Aspirin
46. Which of the following is excluded from being in the high-risk population for HCV infection screening is recommended?
- (a) Persons born between 1945 and 1965
 - (b) Transfusion or transplantation recipients prior to July 1992
 - (c) Hemophiliacs treated with clotting factor concentrates prior to 1987
 - (d) None of the above
47. Which of the following is not reactive lymphadenopathy ?
- (a) Eczema
 - (b) Toxoplasmosis
 - (c) Lipidoses
 - (d) Connective tissue disease

48. Winging of scapula is due to paralysis of
- (a) Latissimus dorsi
 - (b) Pectoralis major
 - (c) Pectoralis minor
 - (d) Serratus anterior
49. Bone with no muscle attachment is –
- (a) Talus
 - (b) Navicular
 - (c) Calcaneum
 - (d) Cuboid
50. Which of the following is the principal site of Na absorption
- (a) PCT
 - (b) DCT
 - (c) Thick ascending limb of loop of Henle
 - (d) Collecting duct
51. Surfactant is secreted by
- (a) Type I alveolar epithelial cells
 - (b) Type II alveolar epithelial cells
 - (c) Dust cells
 - (d) APUD cells
52. Neurotransmitter involved in nigrostriatal pathway –
- (a) Serotonin
 - (b) Dopamine
 - (c) Cholinergic
 - (d) Adrenergic
53. In a chronic alcoholic all the following are seen in the liver except
- (a) Fatty degeneration
 - (b) Chronic hepatitis
 - (c) Granuloma formation
 - (d) Cholestatic hepatitis
54. Sure sign of malignancy is
- (a) Mitosis
 - (b) Polychromasia
 - (c) Nuclear polymorphism
 - (d) Metastasis

55. Most common site of Carcinoid tumour is
- (a) Stomach
 - (b) Jejunum
 - (c) Ileum
 - (d) equal incidence at all sites
56. Distressing complication after modified radical mastectomy is
- (a) Lymphedema
 - (b) Axillary vein thrombosis
 - (c) Seroma
 - (d) Death
57. Laparoscopic cholecystectomy is largely preferred for all of the following reasons to conventional laparotomy except
- (a) Decrease pain
 - (b) Decreased incidence of bile duct injuries
 - (c) Smaller scar
 - (d) Decreased stay in hospital
58. A neonate presents with colicky pain and vomiting with sausage shaped lump in the abdomen is suffering from –
- (a) Enterocolitis
 - (b) Perforation of abdomen
 - (c) Intussusception
 - (d) Acute appendicitis
59. All of the following are true statements about Meckel's Diverticulum except
- (a) Occurs in 2% of population
 - (b) Diarrhoea is very common
 - (c) Contains ectopic gastric tissue
 - (d) Common on anti-mesenteric border
60. Human placenta is best described as
- (a) Discoidal
 - (b) Hemochorial
 - (c) Deciduate
 - (d) All of the above
61. Lochia in correct order : during puerperium
- (a) Rubra, serosa, alba
 - (b) Serosa, Rubra, Alba
 - (c) Alba, serosa, rubra
 - (d) Alba, mucosa, serosa

62. Contraceptive method of choice in lactation
- (a) Barrier method
 - (b) Progesterone only pill
 - (c) Oral contraceptive pill
 - (d) Lactational amenorrhoea
63. Most common congenital abnormality of uterus is
- (a) Uterus didelphys
 - (b) Arcuate
 - (c) Unicornuate
 - (d) Septate
64. Penicillin eye-drops given to the newborn of a mother suffering from Gonorrhoea is a ___ type of prophylaxis.
- (a) Primary chemoprophylaxis
 - (b) Secondary chemoprophylaxis
 - (c) Chemoprevention
 - (d) Not recommended
65. In Pasteurization process the milk is heated and then what is done ?
- (a) Milk is to be rapidly cooled & bottled as soon as possible
 - (b) Milk is to be cooled slowly and bottled
 - (c) Milk is to be bottled no need to be cool
 - (d) Milk has to be cooled upto 10 – 15^o C and then bottled.
66. Diseases transmitted by lice is _____ .
- (a) Epidemic typhus
 - (b) Relapsing fever
 - (c) Trench Fever
 - (d) All of the above
67. MMR vaccine is given to a child of ___ age ?
- (a) 9 month
 - (b) 12 month
 - (c) Both
 - (d) Any age
68. Components of PPTCT programme are all except –
- (a) For HIV negative pregnant women
 - (b) For HIV positive pregnant women
 - (c) For HIV exposed infant
 - (d) For HIV positive parents

69. Mop-up immunization done for _____ disease.
- (a) Dengue
 - (b) Encephalitis
 - (c) Poliomyelitis
 - (d) All of the above
70. Which of the following statements about organ harvesting is false?
- (a) Cornea within 6 hours of death
 - (b) Bone within 24 hours of death
 - (c) Skin within 24 hours of death
 - (d) Blood vessels within 72 hours of death
71. All of the following about eruption of 3rd molar is true except –
- (a) Erupts between 17-25 years
 - (b) If 3rd molar erupted age > 14 years
 - (c) if all four 3rd molar erupted age is > 20 years
 - (d) none
72. At puberty the ratio between the length of cervix and the length of body of uterus becomes –
- (a) 1:2.
 - (b) 1:3.
 - (c) 2:3
 - (d) 2:1
73. The patient lies on her left side with right knee and thigh drawn up towards the chest is called as –
- (a) Prone position
 - (b) Lithotomy position
 - (c) Sim's position
 - (d) None of the above
74. The Rubin test is also called as –
- (a) Cryosurgery
 - (b) Hysterosalpingography
 - (c) Perinoplasty
 - (d) Dilatation & Insufflation
75. The incidence of antepartum haemorrhage is found in –
- (a) 60% cases of multiparous women
 - (b) 70% cases of multiparous women
 - (c) 90% cases of multiparous women
 - (d) 80% cases of multiparous women

76. The normal labour is characterized by –
- (a) Progressive dilatation of cervix and descent of the fetal head
 - (b) Progressive alternate contraction and dilatation of uterus and descent of the fetal head
 - (c) Progressive contraction of cervix and descent of the fetal head
 - (d) Progressive dilatation of uterus and descent of the fetal head
77. Apgar score rating of 4 – 6 in evaluation of cardio – pulmonary status in the newborn baby includes –
- (a) Irregular breathing
 - (b) Pink
 - (c) Regular breathing
 - (d) Heart rate > 100
78. The potent chemotactic substance is –
- (a) LT – B₄.
 - (b) ICAM - 1.
 - (c) Chloride.
 - (d) None of the above
79. Chikungunya was first found in human being of –
- (a) India
 - (b) America
 - (c) Africa
 - (d) Netherland
80. Verruca vulgaris is characterized by –
- (a) Multiple warts, firm, elevated papules and caused by HPV – 1 and 2.
 - (b) Single warts, hard, elevated macules and caused by HPV – 10.
 - (c) Multiple warts, soft, flat papules and caused by HPV.
 - (d) Multiple warts, soft, slightly elevated macules and caused by HPV – 1 and HPV - 2.
81. Lymphopenia, selective T cell deficiency, increased spontaneous secretion of Ig and polyclonal action of B cells are the characteristic features of –
- (a) Lymphatic Leukaemia
 - (b) AIDS
 - (c) Hodgkin disease
 - (d) None of the above
82. Pneumonia is caused by –
- (a) Adenovirus types 3 and 7
 - (b) Adenovirus types 4, 7 and 21
 - (c) Adenovirus types 3, 7 and 14
 - (d) Adenovirus types 19 and 37

83. Cloudy swelling occurs in all the organs except –
- (a) Pancreas
 - (b) Liver
 - (c) Kidney
 - (d) Lung
84. Reticulocyte count –
- (a) diminishes in bone marrow hypoplasia
 - (b) increases in haemolytic anaemia
 - (c) both
 - (d) none
85. The most important muscle of inspiration is –
- (a) diaphragm
 - (b) sternomastoid
 - (c) scalenus anticus
 - (d) None
86. The type of Interstitial tissue of renal tubules of medulla of kidney secretes –
- (a) Renin
 - (b) Prostaglandins
 - (c) Erhthtopoietin
 - (d) Serotonin
87. Segmentation movements of alimentary canal is –
- (a) Neurogenic
 - (b) Myogenic
 - (c) Chemical
 - (d) None of the above
88. Those leprosy cases showing nerve involvement without any skin lesion is called as –
- (a) Indeterminate type of leprosy
 - (b) Tuberculoid type of leprosy
 - (c) Pure neuritic type of leprosy
 - (d) Borderline type of leprosy
89. Measles is caused by –
- (a) Paramyxovirus
 - (b) Myxovirus
 - (c) Rhinovirus
 - (d) None of the above

90. Reservoir of infection of Plague is –
- (a) Mice
 - (b) Fly
 - (c) Insects
 - (d) Pig
91. Size of globules vary from –
- (a) 8 – 80
 - (b) 8 – 90
 - (c) 7 – 80
 - (d) 8- 85
92. Ophthalmia neonatorum occurs in new born –
- (a) First 4 weeks of life
 - (b) First 5 weeks of life
 - (c) First 3 weeks of life
 - (d) First 6 weeks of life
93. The most common cause of disturbed behavior is –
- (a) Hallucination
 - (b) Delirium
 - (c) Delusions
 - (d) Loneliness
94. Individuals are susceptible to mycobacterial infections due to defects in –
- (a) T lymphocyte
 - (b) IgG.
 - (c) Cytokines
 - (d) Neutrophils
95. Preparation of 50 Millesimal potency mentioned in aphorism –
- (a) 250 of Organon of medicine
 - (b) 270 of Organon of medicine
 - (c) 260 of Organon of medicine
 - (d) 271 of Organon of medicine
96. Indisposition includes all except –
- (a) Complaints of one or more trivial symptoms.
 - (b) Requires serious medical aid
 - (c) Observed a short time.
 - (d) Not to consider as a fully developed disease.

97. According to Stuart Close the meaning of idiosyncrasy is all except –
- (a) a habit or quality of the organism
 - (b) inherited or acquired
 - (c) individual morbidity susceptible to some agent
 - (d) a peculiar corporeal constitution
98. Hahnemann's idea on massage is applicable in the following conditions except–
- (a) suffers from loss of flesh
 - (b) abnormal sensations
 - (c) weakness of digestion
 - (d) lack of sleep
99. Chest sore, bruised < from touch, motion or turning the body is the characteristic symptoms of –
- (a) Rhus toxicodendron
 - (b) Bryonia alba
 - (c) Ranunculus bulbosus
 - (d) Hepar sulphuris
100. Which may be given after abuse of Magnesia, when or without rhubarb, of stools are sour ? –
- (a) Rheum.
 - (b) Chamomilla.
 - (c) Cina.
 - (d) Magnesia carbonicum.
