



RAILWAY RECRUITMENT BOARD, GORAKHPUR

STATION ROAD, GORAKHPUR – 273012 (UP)

Website : www.rrbgkp.gov.in Phone no. & Fax 0551-2201209



Date 23.12.2019

Important Notice

Sub: Appeal against the report of Divisional Medical Board/Committee (CEN-01/2018)

After Document Verification for the post of ALP & Technicians under **CEN-01/2018** conducted by RRB/Gorakhpur from **20.06.2019 to 23.07.2019**, candidates were sent for Medical Examination to Zonal Railway Hospital/Gorakhpur or Divisional Railway Hospital/Lucknow, Vararasi and Izzatnagar. In Medical Examination, **some candidates who opted for the post of the ALP (i.e. Category No.2 of CEN-01/2018) have been found unfit in the Medical Standard A-1, required to qualify for the post of ALP preferred by them as their preference of post in accordance with the stipulations laid down in CEN-01/2018.** So they may be considered for few or nil posts out of many or single posts opted by them only because they have not been found medically fit for their all opted options of post, particularly for the post of ALP, as per their medical report issued by the Divisional Medical Board./ Railway Doctors. Further, Candidates who fails to apply or appear for their re-medical before DMB within under mentioned schedule period will be adjudged for the limited or nil options only out of their all opted post(s) according to the Medical Category in which they have been found medically fit in their Initial Medical Report.

Since at present the allotment of posts against the vacancy of ALP is in its advanced final stage, hence if candidates who appeared for medical examination and want to appeal against the decision of DMB/ Railway Doctors may submit the same to Principal Chief Medical director (PCMD), N.E.Railway, Gorakhpur through the **Chairman, Railway Recruitment Board, Station Road, Gorakhpur**. Such an Appeal shall be received and entertained by the office of **Chairman, Railway Recruitment Board, Station Road, Gorakhpur, within next FIFTEEN days only, if appeal comply the terms/conditions and contain the documents as all mentioned below**

1. The candidate produces a certificate from a Government/Private Doctor of the specialty/specialties in which the candidate has been found unfit.
2. Such certificate should contain a note that the Government/private specialist is fully aware of the physical & visual standards set by the Railway for the particular medical category, and that he is aware of the fact that the candidate has already been declared unfit according to these standards during medical examination conducted by an appropriate Medical Board comprising of three senior Railway Doctors appointed by the Government in this regard (Certificate should be as per enclosed Performa "A")
3. The certificate should bear the recent photograph and 2 marks of identification of the candidates duly attested by such a Government/Private Doctor, the issuing authority.
4. Such an issuing authority shall also clearly mention its MCI/ State Registration No.
5. Charges will however be payable by candidate and for this, a candidate will be required to pay Rs1,000/- (One thousand) through Demand Draft payable in favor of **P.F.A, N.E. Railway, Gorakhpur**.

Where PCMD is of the opinion that there should be re-examination of the case of appeal, he may nominate a Medical Board to re-examine the candidate, and his decision shall be communicated to the candidate by the office of the **Chairman, Railway Recruitment Board, Station Road, Gorakhpur**.

In case, the decision changes from Unfit to Fit, the aforesaid DD submitted by candidate will be returned to the candidate, but in all other cases, this DD will be credited to Railway Revenue.

Roll Number	Medical Category Certified BY DOCTOR	Required for ALP
121012085800044	A-2	A-1
121027085800004	A-2	A-1
151002095170158	A-2	A-1
151007087880161	A-2	A-1
151009042730371	A-3	A-1
151009095160096	A-2	A-1
151018090020127	A-3	A-1
151018090020132	A3	A-1
151019088340076	UNFIT	A-1
151019095170021	C-1	A-1
151020042730084	A-2	A-1
151021042730147	A-2	A-1
151022090000087	A-2	A-1
161002083900034	A-3	A-1
171025087470185	A-2	A-1
201001050810092	B-1	A-1
201002079380405	B-1	A-1
201002080410842	A-3	A-1
201008081600009	A-2	A-1
201009080410763	A-3	A-1
201011080410604	C-1	A-1
201011080410622	A-2	A-1
201011080410843	A-2	A-1
201012050810379	A-2	A-1
201012080410604	A-2	A-1
201013050810378	A-2	A-1
201013080410565	A-3	A-1
201015093500121	A-2	A-1
201017080410650	A-2	A-1
201018080410554	UNFIT IN A1	A-1
201018080410652	B-1	A-1
201019080410376	B-1	A-1
201019081600011	UNFIT	A-1
201020080410418	A-2	A-1
201023080410400	A-2	A-1

201023080410427	UNFIT IN A1	A-1
201025080410578	UNFIT IN A1	A-1
201025080410653	UNFIT	A-1
201025081600080	C-1	A-1
201026080410408	UNFIT	A-1
201027050810002	A-2	A-1
201029080410862	A-2	A-1
201030093500039	C-1	A-1
221004083480131	A-3	A-1
221020083480102	A-3	A-1
221026082080021	A-2	A-1
231003092450321	UNFIT IN A1	A-1
231004096920039	A-3	A-1
231012092450339	B-2	A-1
231025092450377	UNFIT	A-1
231027096920013	A-2	A-1
261002082200432	A-2	A-1
261015079091158	A-2	A-1
261015083200122	A-2	A-1
261020083200014	A-2	A-1
261023083200188	UNFIT IN A1	A-1
261024079090008	A-2	A-1
271016089740017	A-3	A-1
271016089740022	A-3	A-1
301001085100175	UNFIT	A-1
301002078720805	A-2	A-1
301002092380011	UNFIT	A-1
301003001180019	UNFIT IN A1	A-1
301003085750053	A-3	A-1
301003091020034	B-2	A-1
301004085760132	A-3	A-1
301004096820042	A-2	A-1
301005078660895	A-2	A-1
301005085730027	A-3	A-1
301005085750462	UNFIT IN A1	A-1
301005092390015	A-2	A-1
301006041800012	UNFIT	A-1
301006078720569	A-2	A-1
301006085100014	A-3	A-1
301006091020014	UNFIT IN A1	A-1
301007088410030	B-2	A-1
301007088410060	UNFIT	A-1
301008094650057	A-2	A-1
301011078120044	A-2	A-1

301015078660493	A-3	A-1
301015085750638	A-3	A-1
301015085760322	A-2	A-1
301016078120042	A-2	A-1
301016084810863	A-3	A-1
301018077590035	A-2	A-1
301019086060483	UNFIT	A-1
301021078660851	A-2	A-1
301022078120266	A-3	A-1
301022085100024	UNFIT IN A1	A-1
301022088610098	B-1	A-1
301022090950187	A-3	A-1
301023090950006	B-1	A-1
301024085100009	UNFIT	A-1
301025086050048	B-2	A-1
301026026180071	A-2	A-1
301026083660473	B-2	A-1
301027084810831	B-1	A-1
301027088410172	A-3	A-1
301027090950065	A-2	A-1
301029078120090	A-2	A-1
301029096820030	A-2	A-1
301030086060105	A-2	A-1
311007085540162	UNFIT	A-1
331018090410126	A-3	A-1
361010005830165	B-2	A-1
361014079280005	A-3	A-1
361016029410008	A-3	A-1
361022006030126	A-2	A-1
361023006030024	A-3	A-1
381003079900264	A-3	A-1
381003087560487	A-3	A-1
381004078210304	A-2	A-1
381004087560494	A-2	A-1
381006078230074	A-2	A-1
381006087560499	UNFIT IN A1	A-1
381006087630531	UNFIT IN A1	A-1
381008087630573	B-2	A-1
381009087560554	B-1	A-1
381009087560622	A-2	A-1
381011087560531	A-3	A-1
381012087990382	B-1	A-1
381013087560543	A-2	A-1
381013087990645	A-3	A-1
381014087560481	B2	A-1

381014087560573	UNFIT IN A1	A-1
381014087630796	A-3	A-1
381014087630831	A-2	A-1
381015077350027	UNFIT	A-1
381015077350044	A3	A-1
381015087560489	UNFIT IN A1	A-1
381015087630834	C-1	A-1
381017087560482	A-2	A-1
381018087560492	B-2	A-1
381018087560498	A-3	A-1
381019077350015	A-3	A-1
381021077350106	UNFIT IN A1	A-1
381024077350045	A-3	A-1
381025087560553	B-2	A-1
381028077350019	A-3	A-1
381029088600502	A-2	A-1
381030087630636	B-1	A-1
381030095370025	A-3	A-1
391002086100056	A-2	A-1
391004086590239	A-3	A-1
391005086100100	A-3	A-1
391010086650243	A-3	A-1
391011094860120	A-3	A-1
391012086100320	A-2	A-1
391012086100889	A-2	A-1
391015012710034	B-2	A-1
391016086100942	A-3	A-1
391018086100621	A-3	A-1
391019085710377	A-2	A-1
391019085710442	A-2	A-1
391020086100198	UNFIT	A-1
391021086100589	A-3	A-1
391025011990078	A-2	A-1
391028012710030	A-2	A-1
391029086101238	A-3	A-1
421001088220141	B-1	A-1
421004088260624	B-2	A-1
421006088250805	A-3	A-1
421006095770079	UNFIT	A-1
421016093490265	A-2	A-1
421019088260010	A-2	A-1
421020088220542	C-1	A-1
421022095770348	B-2	A-1
421023088260047	B-1	A-1
441001080440156	A-2	A-1

441001082120127	B-1	A-1
441001082120406	UNFIT	A-1
441001095060023	A-3	A-1
441001113380056	UNFIT	A-1
441002008570106	A-3	A-1
441002095190080	A-2	A-1
441004008570122	UNFIT IN A1	A-1
441004080440792	A-3	A-1
441004086940595	A-3	A-1
441006079400080	A-3	A-1
441006079730043	UNFIT IN A1	A-1
441006080430453	UNFIT	A-1
441006086940100	A-2	A-1
441006096970019	B-2	A-1
441007079500054	B-2	A-1
441007079500120	A-3	A-1
441007080170116	A-3	A-1
441007094790138	UNFIT IN A1	A-1
441008082120075	B-1	A-1
441008096360055	A-2	A-1
441009079760455	A-2	A-1
441009084330114	UNFIT IN A1	A-1
441009089930056	A-3	A-1
441009090400247	A-3	A-1
441010079390228	B-1	A-1
441010091200086	A-2	A-1
441010091200141	B-2	A-1
441010096360035	UNFIT	A-1
441011001380010	A-3	A-1
441011079390138	A-2	A-1
441011080430699	A-3	A-1
441011082120128	C-1	A-1
441011088170068	UNFIT IN A1	A-1
441012018520092	A-3	A-1
441012082120072	A-3	A-1
441012093220128	A-3	A-1
441012095190101	A-3	A-1
441013087650061	B-1	A-1
441013088170011	B-2	A-1
441013093980018	A-3	A-1
441013096970026	A-2	A-1
441014022200012	UNFIT	A-1
441014022200018	UNFIT	A-1
441014079730087	A-2	A-1

441014082120238	UNFIT IN A1	A-1
441014091200142	UNFIT	A-1
441015079730082	UNFIT	A-1
441015082120223	B-1	A-1
441015082120306	A-2	A-1
441015082120307	B-2	A-1
441015096360011	B-1	A-1
441015096960191	A-3	A-1
441016040420081	A-3	A-1
441016080170405	B-1	A-1
441017079410242	A-3	A-1
441017079450072	A-3	A-1
441017082120148	B-1	A-1
441017091200050	A-2	A-1
441017096360010	UNFIT	A-1
441017096970347	B-2	A-1
441018079420168	A-3	A-1
441018079420193	A-3	A-1
441018084330036	A-3	A-1
441018084330087	B-2	A-1
441018091200171	A-3	A-1
441018091200243	UNFIT IN A1	A-1
441018113380218	A-3	A-1
441019079410337	A-3	A-1
441019082130057	B-2	A-1
441019089950155	UNFIT IN A1	A-1
441019113380062	A-2	A-1
441019113380165	B-1	A-1
441020079410213	A-3	A-1
441020086940061	A-3	A-1
441021001220107	A-3	A-1
441021066870129	B-1	A-1
441021080440678	A-3	A-1
441021086940033	A-3	A-1
441021096970257	A-3	A-1
441021113380189	C-1	A-1
441022066870024	B-1	A-1
441022079550046	C-1	A-1
441022080170043	A-2	A-1
441022084330094	A-3	A-1
441022095190026	UNFIT IN A1	A-1
441022096950264	UNFIT	A-1
441023079420216	A-3	A-1
441023079570180	A-2	A-1
441023080170455	B-1	A-1

441023082120128	UNFIT	A-1
441023094790023	A-3	A-1
441023113380064	UNFIT IN A1	A-1
441024079410367	A-3	A-1
441024079550066	A-3	A-1
441025079450142	A-3	A-1
441025079460518	UNFIT	A-1
441025079490078	UNFIT	A-1
441025080430378	A-3	A-1
441025080430803	A-2	A-1
441025082130045	UNFIT IN A1	A-1
441025086940242	A-3	A-1
441025092520227	UNFIT IN A1	A-1
441025093220056	C-1	A-1
441025093980033	A-3	A-1
441025096950075	A-2	A-1
441026080170281	B-2	A-1
441026082120383	A-3	A-1
441026091200320	A-3	A-1
441027079410150	B-1	A-1
441027079410311	B-1	A-1
441027079520037	B-2	A-1
441027079760128	UNFIT	A-1
441027092520190	A-2	A-1
441027093220081	UNFIT IN A1	A-1
441027096290076	A-3	A-1
441027096360032	A-2	A-1
441027096690182	A-3	A-1
441028004430054	A-3	A-1
441028008570140	A-3	A-1
441028022200024	A-2	A-1
441028079570140	A-3	A-1
441028080430800	A-2	A-1
441028096960044	A-3	A-1
441029079390010	A-3	A-1
441029079390030	A-2	A-1
441029079410454	A-3	A-1
441029086940488	UNFIT	A-1
441030008570030	B-2	A-1
441030079460003	C-1	A-1
441030079730264	B-1	A-1
441030080590095	UNFIT	A-1
441030080590152	C-2	A-1
441030086990014	A-2	A-1
451008026850201	A-3	A-1

451008093380024	A-2	A-1
451017093380226	A-3	A-1
451018085890101	UNFIT IN A1	A-1
451027050900068	A-2	A-1
461003081163054	UNFIT	A-1
461006081161506	C-1	A-1
461014081162404	UNFIT IN A1	A-1
461017003620025	A-3	A-1
461020081160081	A-2	A-1
461028088000007	A-3	A-1

Total: 313 (Three Hundred thirteen Roll Nos.)

NOTE

- . Candidates who did not appear in initial medical examination are not eligible for Appeal for remedical.
- . Candidates are advised to attach self attested copy of Medical admit card issued after Document Verification by Railway Recruitment Board, Gorakhpur with their appeal.
- . No further chance for Re-Medical Examination will be given in future, after this chance.

Chairman/RRB/Gorakhpur

Proforma- 'A'

PROFORMA FOR MEDICAL CERTIFICATE TO BE OBTAINED FROM SPECIALIST BY CANDIDATE FOR APPEAL TO PCMD AGAINST THE DECISION OF THE COMMITTEE.

(Authority: Railway Board's letter No. 2014/H/5/8(Policy), dated 07.07.2017)

Photo attested by
Issuing authority

I have checked up ShriS/o
.....address.....
.....who bears Following
marks of identification (i)..... (ii)
..... who has applied for the post
of..... in Railway. The candidate is having following standard
required for appointment on the Railway.

Post	Class	Standard required by Railway for above post	Examination Finding of Candidate	Remarks
		(i)..... (ii)..... (iii).....		

I.....Specialist is fully aware of Physical & Visual Standards set by the Railways for the particular medical category and that I am aware of the fact that the candidate has already been declared unfit according to these standards during medical examination conducted by appropriate Medical Board comprising of three senior Railway Doctors appointed by Government in this regard.

Name of Specialist

MCI Registration No.....

Place.....

Date.....

(Signature of Specialist with Seal)