BJT PROVISIONAL ANSWER KEY

Name of the postLecturer (Senior Scale), Gujarat Nursing Services, Class-1Advertisement No23/2024-25Preliminary Test Held On19-12-2024Que. No001-200Publish Date21-12-2024Last Date to Send Suggestion (S)26-12 -2024

Instructions / સૂચના (Physical Submission)

Candidate must ensure compliance to the instructions mentioned below, else objections shall not be considered: -

- 1) All the suggestion should be submitted in prescribed format of suggestion sheet PHYSICALLY.
- 2) Question wise suggestion to be submitted in the prescribed format (Suggestion Sheet) published on the website.
- 3) All suggestions are to be submitted with reference to the Master Question Paper with provisional answer key (Master Question Paper), published here with on the website. Objections should be sent referring to the Question, Question No. & options of the Master Question Paper.
- 4) <u>Suggestions regarding question nos. and options other than provisional answer key (Master Question Paper) shall not be considered.</u>
- 5) Objections and answers suggested by the candidate should be in compliance with the responses given by him in his answer sheet. Objections shall not be considered, in case, if responses given in the answer sheet /response sheet and submitted suggestions are differed.
- 6) Objection for each question shall be made on separate sheet. Objection for more than one question in single sheet shall not be considered & treated as Cancelled.
- 7) Only Candidate who is present in the exam entitled to submit the objection/(s).
- 8) Candidate should attach copy of his/her OMR (Answer sheet) with objection/(s).

ઉમેદવારે નીચેની સૂચનાઓનું પાલન કરવાની તકેદારી રાખવી,અન્યથા વાંધા-સૂચન અંગે કરેલ રજૂઆતો ધ્યાને લેવાશે નહીં

- 1) ઉમેદવારે વાંધા-સૂચનો નિયત કરવામાં આવેલ વાંધા-સૂચન પત્રકથી રજૂ કરવાના રહેશે.
- ઉમેદવારે પ્રશ્ન પ્રમાણે વાંધા-સ્ચનો રજૂ કરવા વેબસાઈટ પર પ્રસિધ્ધ થયેલ નિયત વાંધા-સ્ચન પત્રકના નમૃનાનો જ ઉપયોગ કરવો.
- 3) ઉમેદવારે પોતાને પરીક્ષામાં મળેલ પ્રશ્નપુસ્તિકામાં છપાયેલ પ્રશ્નક્રમાંક મુજબ વાંધા-સૂચનો રજૂ ન કરતા તમામ વાંધા-સૂચનો વેબસાઈટ પર પ્રસિધ્ધ થયેલ પ્રોવિઝનલ આન્સર કી (માસ્ટર પ્રશ્નપત્ર)ના પ્રશ્નક્રમાંક મુજબ અને તે સંદર્ભમાં રજૂ કરવા.
- 4) માસ્ટર પ્રશ્નપત્રમાં નિર્દિષ્ટ પ્રશ્ન અને વિકલ્પ સિવાયના વાંધા-સૂચન ધ્યાને લેવામાં આવશે નહીં.
- 5) ઉમેદવારે જે પ્રશ્નના વિકલ્પ પર વાંધો રજૂ કરેલ છે અને વિકલ્પ રૂપે જે જવાબ સૂચવેલ છે એ જવાબ ઉમેદવારે પોતાની ઉત્તરવઠીમાં આપેલ હોવો જોઈએ. ઉમેદવારે સૂચવેલ જવાબ અને ઉત્તરવઠીનો જવાબ ભિન્ન હશે તો ઉમેદવારે રજૂ કરેલ વાંધા-સૂચનો ધ્યાને લેવાશે નહીં.
- 6) એક પ્રશ્ન માટે એક જ વાંધા-સૂચન પત્રક વાપરવું. એક જ વાંધા-સૂચન પત્રકમાં એકથી વધારે પ્રશ્નોની રજૂઆત કરેલ દશે તો તે અંગેના વાંધા-સૂચનો ધ્યાને લેવાશે નહીં.
- 7) માત્ર પરીક્ષામાં હાજર રહેલ ઉમેદવાર જ વાંધા-સુચન રજુ કરી શકશે.
- 8) ઉમેદવારે વાંધા-સૂચન સાથે પોતાની જવાબવહીની નકલ બિડાણ કરવાની રહેશે.

Website link for prescribed format (Suggestion Sheet): http://gpsc.gujarat.gov.in/Documents/AdvertismentDocument/2018-3-20_723.pdf

| 001. | The process that take place before a patient changes care environment that person integrates into the new environment: | |
|------|---|--|
| | (A) Discharge planning | (B) Transfer planning |
| | (C) Transition planning | (D) Transformation planning |
| 002. | The term repeatability, precision, reproducib | ility, and consistency are used to indicate: |
| | (A) Reliability | (B) Validity |
| | (C) Sensitivity | (D) Specificity |
| 003. | Fusion of different philosophies of education | is: |
| | (A) Progressivisms | (B) Existentialism |
| | (C) Eclecticism | (D) Realism |
| 004. | Descriptive studies are the 1 st phase of an epi | demiological |
| | (A) Investigation | (B) Observe |
| | (C) Analytical | (D) Research |
| 005. | The second phase of wound healing is : | |
| | (A) Hemostasis | (B) Inflammation |
| | (C) Proliferation | (D) Maturation |
| 006. | The best method to study growth and develop | pment of the child is: |
| | (A) Psychoanalytic Method | (B) Comparative Method |
| | (C) Developmental Method | (D) Statistical Method |
| 007. | According to Piaget's theory of cognitive deve age of: | elopment, the Formal operational stage starts at the |
| | (A) 12 years | (B) 10 years |
| | (C) 8 years | (D) 6 years |
| 008. | . There will be a difference in attitude of nursing students towards organ donation as per th educational status at 0.05 level is significance: | |
| | (A) Non directional research hypothesis | |
| | (B) Simple hypothesis | |
| | (C) Complex hypothesis | |
| | (D) Directional hypothesis | |
| 009. | The independent variable that are not relate dependent variable is: | ed to the purpose of the study, but may affect the |
| | (A) Intervening variables | (B) Extraneous variable |
| | (C) Dependent variable | (D) Independent variable |
| 010. | Cri du chat is caused by the deletion of part of | of the short arm of: |
| | (A) Chromosome 4 | (B) Chromosome 2 |
| | (C) Chromosome 3 | (D) Chromosome 5 |

| 011. | After determining a nursing diagnosis of client-centered goal: | f acute pain, the nurse develops, the following appropriate |
|------|---|--|
| | (A) Encourage client to implement guid | led imagery when pain begins. |
| | (B) Determine effect of pain intensity or | n client function. |
| | (C) Administer analgesic 30 minutes be | fore physical therapy treatment. |
| | (D) Pain intensity reported as a 3 or les | s during hospital stay. |
| 012. | Glucose transport into the cell is an exa | imple of: |
| | (A) Facilitated Diffusion | (B) Osmosis |
| | (C) Active transport | (D) Simple diffusion |
| 013. | The One of the model of organizational b orientation of money: | behavior is based on economic resources and a managerial |
| | (A) Custodial | (B) Supportive |
| | (C) Collegial | (D) Autocratic |
| 014. | A statistical index which describes the characteristics or variables is: | e degree and direction of the relationship between two |
| | (A) Probability | (B) T test |
| | (C) Mean | (D) Correlation |
| 015. | The median is: | |
| | (A) The middle point | (B) The average |
| | (C) The highest number | (D) Affected by extreme scores |
| 016. | It is not the disposing factor for hypere | mesis gravidarum: |
| | (A) Multiple pregnancy | (B) Primi para |
| | (C) First trimester | (D) Malnutrition |
| 017. | The most common type of episiotomy: | |
| | (A) Midline | (B) Lateral |
| | (C) J shaped | (D) Medio-lateral |
| 018. | A complication of the hyperviscosity of | polycythemia is: |
| | (A) Thrombosis | |
| | (B) Cardiomyopathy | |
| | (C) Pulmonary edema | |
| | (D) Disseminated intravascular coagula | tion (DIC) |
| 019. | An intestinal obstruction is suspected, suction. For what response should the r | a client has a nasogastric tube inserted and attached to nurse critically assess this client: |
| | (A) Edema | (B) Belching |
| | (C) Fluid deficit | (D) Excessive salivation |
| 020. | Somatic symptom of depression include | es all except: |
| | (A) Feeling of guilt | (B) Reduced libido |
| | (C) Insomnia | (D) Weight change |

| 021. Intense depression and misery without any cause is seen in: | | ause is seen in: | |
|--|---|--|--|
| | (A) Melancholic depression | (B) Reactive depression | |
| | (C) Schizophrenia | (D) Mania | |
| 022. | In material management, the period in days that elapses between placing an order and receiving the stores is termed as: | | |
| | (A) Lead time | (B) Economic Order Quantity | |
| | (C) Quantity survey | (D) Reorder time | |
| 023. | One nurse is assigned the responsibility for the case of each patient from admission to discharge: | | |
| | (A) Primary Nursing | (B) Case method | |
| | (C) Functional method | (D) Team nursing | |
| 024. | The primary purpose of conducting an epide | miologic investigation is to; | |
| | (A) Delineate the etiology of the epidemic | | |
| | (B) Encourage cooperation and support of the | ne community | |
| | (C) Identify groups who are at risk of contra | cting the disease | |
| | (D) Identify geographical location of cases of | f the disease in the community | |
| 025. | One of the following demonstrates inter-sectoral linkages: | | |
| | (A) Two way referral system | | |
| | (B) Team approach | | |
| | (C) Endorsement done by a midwife to anoth | ner midwife | |
| | (D) Co-operation between PHN and public s | chool teacher | |
| 026. | Simulation can be used to: | | |
| | (A) Prescribe what to do about a problem | | |
| | (B) Study alternative solutions to a problem | | |
| | (C) Manipulate certain variables to measure the effects of changes onOperating characteristics of interest. | | |
| | (D) Both (A) and (C) | | |
| 027. | The rationale for the formative evaluation of an educational activity: | | |
| | (A) To check for adequacy of the program objectives | | |
| | (B) To address the learner's progress throughout the activity | | |
| | (C) To examine achieved outcomes and impact | | |
| | (D) To set direction for the future | | |
| 028. | Structuring a group communication process is effective in a long group of individual or deal with a complex: | | |
| | (A) Delphi research design | (B) Path analytic design | |
| | (C) Prospective design | (D) Retrospective design | |
| 029. | The sampling method used to obtain research previous Acquaintances: | and knowledge, from extended association through | |
| | (A) Quota sampling | (B) Snow ball sampling | |
| | (C) Sequential sampling | (D) Purposive sampling | |

030. For how long should a nurse maintain isolation of a child with bacterial meningitis: (A) For 12 hrs. After admission (B) Until the cultures are negative (C) Until antibiotic therapy is completed (D) For - 48 hours after antibiotic therapy begins 031. The birth weight of the baby become four times at the age of: (A) 15 months (B) 21 months (C) 24 months (D) 30 months 032. The instrument is determined by comparing the result of an instrument under testing with result of some is: (B) Criterion validity (A) Construct validity (C) Face validity (D) Content variable 033. Split half technique is also called as: **(B)** Odd even reliability (A) Test retest reliability (C) Inter rater reliability (D) Observer reliability 034. Analytical epidemiology aims to: (A) Decrease the distribution of disease (B) Investigate the cause of disease (C) Apply intervention to control diseases (D) Provide health care to affected individual 035. To increase awareness of rural population towards small family norms, the best method is: (A) Film show (B) Charts and exhibits (C) Role playing (D) Television 036. The philosophical thought states that ultimate reality is spiritual rather than physical, mental rather than material: (A) Idealism (B) Realism (C) Pragmatism (D) Constructivism 037. **Epidemiology primarily concerned with:** (A) Diagnosis of disease (B) Treatment of disease (C) Study of disease distribution and determinants **(D)** Surgical procedure 038. The primary purpose of SBAR communication is: (A) To report patient vital signs (B) To document medical history (C) To communicate critical information to healthcare system (D) To evaluate patient treatment plan

| 039. | Primary goal of implementing evidence-based practice in nursing: | |
|------|--|---|
| | (A) Improve patient safety satisfaction | (B) Reduce medical errors |
| | (C) Increase staff productivity | (D) Enhance patient outcomes |
| 040. | Full form of IUGR in pregnancy is: | |
| | (A) Intrauterine Growth Retardation | (B) Intrauterine Gestational Restriction |
| | (C) Intrauterine Gestational Retardation | (D) Intrauterine Growth Restriction |
| 041. | Just after the delivery newborn baby and the | e mother are kept together is known as: |
| | (A) Rooming in | (B) Pueperium |
| | (C) Lying in | (D) Bonding |
| 042. | Inpatient management of anorexia nervosa is | s done on priority in patients with: |
| | (A) Binging episodes | (B) Weight for height less than 75% of normal |
| | (C) Amenorrhea | (D) Depression |
| 043. | One of the following is an example of a summ | native evaluation: |
| | (A) A weekly quiz on a specific topic | |
| | (B) A comprehensive final exam at the end of | f the semester |
| | (C) Ongoing class participation | |
| | (D) A group project presentation | |
| 044. | Patient who repeatedly simulate or fake diseas | se for the sole purpose of obtaining medical attention: |
| | (A) Munchausen syndrome | (B) Pseudologia |
| | (C) Masochistic character | (D) Pyromania |
| 045. | Irresistible urge to drink alcohol is known as: | |
| | (A) Kleptomania | (B) Pyromania |
| | (C) Dipsomania | (D) Trichotillomania |
| 046. | Delirium is defined as: | |
| | (A) Acute onset of disturbed consciousness | |
| | (B) Chronic onset of disturbed consciousness | 8 |
| | (C) Progressive generalized impairment of in of consciousness | tellectual function and memory without impairment |
| | (D) Disorientation without clouding of consc | iousness |
| 047. | Betty Neuman theory based on: | |
| | (A) Whole being that consists of spiritual, intellectual, and physiological components | |
| | (B) An integrated being constantly changing because of environmental Influences | |
| | (C) An integrated whole being constantly see | eking spiritual guidance |
| | (D) An integrated whole in a constant state o many variables | f change because of the dynamic interrelationship of |
| 048. | One of the following is a description for "des | scriptive Epidemiology: |
| | (A) examining the incidence of disease in rela | ation to person, place and time |
| | (B) identifying the associations between dise | ase and causes |
| | (C) intervention to change exposure to the fa | ector being studied |
| | (D) actions to reduce exposureto factors whi | ch impact on health |

| 049. | The primary purpose of hospice is to: | |
|------|---|--|
| | (A) Allow patient to die at home | |
| | (B) Provide better quality of care than the fai | mily can |
| | (C) Coordinate care for dying patients and their families | |
| | (D) Provide comfort and support for dying pa | atients and their families |
| 050. | When scrubbing at the scrub sink, the nurse | should: |
| | (A) Scrub from elbows to hands | (B) Scrub without mechanical friction |
| | (C) Scrub for a minimum of 10 minutes | (D) Hold the hands higher than the elbows |
| 051. | Most common cause of post-partum hemorrh | age is: |
| | (A) Uterine atony | (B) Retained products |
| | (C) Trauma | (D) Bleeding disorders |
| 052. | The condition in which there is no expulsion o birth of the baby is called: | f the placenta even after 1/2 hrs. (30 minutes) of the |
| | (A) Placenta previa | (B) Abrupt placenta |
| | (C) Retained placenta | (D) Placenta accretes |
| 053. | Type of validity is demonstrated by comparing to be valid? | g the test results with other measures that are known |
| | (A) Criterion-related validity | (B) Construct validity |
| | (C) Content validity | (D) Predictive validity |
| 054. | The calculation of degree of freedom for chi s | quare test, the formula applied is: |
| | (A) n-1 | (B) $(c-1) \times (r-1)$ |
| | (C) n-2 | (D) k (n-1) |
| 055. | The safest position of a woman in labor when | a nurse observes a prolapsed cord: |
| | (A) Prone | (B) Fowler |
| | (C) Lithotomy | (D) Trendelenburg |
| 056. | Mass of vesicles resulting from cystic prolifer | ration of chorionic epithelium: |
| | (A) Blood mole | (B) Hydatidiform mole |
| | (C) Tubal mole | (D) Cystic mole |
| 057. | To apply due process in disciplinary action, t | he manager: |
| | (A) The employer is not aware of rule | (B) There is an agency rule |
| | (C) There is no agency rule | (D) The penalty imposed is not appropriate |
| 058. | Specific instruction regarding treatment of co | ondition are called: |
| | (A) Nursing protocol | (B) Nursing research |
| | (C) Code of ethics | (D) Nursing theory |
| 059. | The stage of curriculum is which overall design | gn of the curriculum take place: |
| | (A) Directive | (B) Formative |
| | (C) Functional | (D) Evaluative |

| 060. | Microteaching focuses on the competency over: | | | |
|------|--|---|--|--|
| | (A) Method | (B) Skills | | |
| | (C) Content | (D) None of the above | | |
| 061. | To detect early sign or symptoms of inadequate oxygenation, the nurse would examine the patient for: | | | |
| | (A) Dyspnea and hypotension | (B) Apprehension and restlessness | | |
| | (C) Cyanosis and cool, clammy skin | (D) Increased urine output and diaphoresis | | |
| 062. | When assessing activity exercise patterns related to respiratory health, the nurse inquires about: | | | |
| | (A) Dyspnea during rest or exercise | (B) Recent weight loss or weight gain | | |
| | (C) Ability to sleep through the entire night | (D) Willingness to wear oxygen equipment in public | | |
| 063. | Cognitive domine in bloom's taxonomy inclue | de all of the following, except: | | |
| | (A) Evaluation | (B) Synthesis | | |
| | (C) Analysis | (D) Criticism | | |
| 064. | The in-service teacher' training can be made | The in-service teacher' training can be made more effective by: | | |
| | (A) Using training package which in well prepared in advance | | | |
| | (B) Making it a residential programme | | | |
| | (C) Using co-operative approach | | | |
| | (D) Practicing training follow-up procedures | | | |
| 065. | The nurse identifies a flail chest in a trauma patient when: | | | |
| | (A) Multiple rib fracture are determined by X-ray | | | |
| | (B) A tracheal deviation to the unaffected side is present | | | |
| | (C) Paradoxic chest movement occurs during respiration | | | |
| | (D) There is decreased movement of the invo | lved chest wall | | |
| 066. | An appropriate nursing intervention for a pa | tient post-pneumonectomy is: | | |
| | (A) Positing the patient on the unaffected side or back | | | |
| | (B) Doing range of motion exercise on the affected upper limb | | | |
| | (C) Monitoring chest tube drainage and functioning | | | |
| | (D) Auscultating frequently for lung sounds on the affected side | | | |
| 067. | If a mother carries her 18 months old baby in the hospital who has not been immunized even with a single vaccine. At this time which vaccine can be given to the except: | | | |
| | (A) DPT 1 | (B) OPV 1 | | |
| | (C) Measles | (D) BCG | | |
| 068. | Monday fever is the other name for | | | |
| | (A) Asbestosis | (B) Byssinosis | | |
| | (C) Silicosis | (D) Anthracnosis | | |
| 069. | One of the following is considered as a primary stakeholder in the health care system: | | | |
| | (A) Insurance company | (B) Pharmaceutical companies | | |
| | (C) Hospital health care professional | (D) Patient | | |

| 070. | 70. Standards of peri-operative practice to measure professional performance of registered the OT includes, except: | | |
|------|---|---|--|
| | (A) Education | (B) Practice | |
| | (C) Collegiality | (D) Ethics | |
| 071. | The activity is an organization which provide under desirable working condition is known | des opportunity for maximum individual contribution n as: | |
| | (A) Planning | (B) Personal management | |
| | (C) Budgeting | (D) Coordination | |
| 072. | The organization is centralized, when the decision-making authority is kept at the: | | |
| | (A) Low level | (B) Personnel level | |
| | (C) Managerial level | (D) Top level | |
| 073. | Victim in this color category are ambulator | y have minor tissue injuries and may be dozed: | |
| | (A) Yellow | (B) Black | |
| | (C) Green | (D) Red | |
| 074. | Followings are the example of innovation in | nursing except: | |
| | (A) Ambulatory care nursing | (B) Faith community nursing | |
| | (C) Travel nursing | (D) Home nursing | |
| 075. | Diagram which can be used to find out the | relationship between two variables is: | |
| | (A) Bar diagram | (B) Pie diagram | |
| | (C) O-give curve | (D) Scatter diagram | |
| 076. | Central tendency, which of the measuremen | ts presented below are based on all items of the series: | |
| | (A) Range | (B) Standard deviation | |
| | (C) Quartile deviation | (D) Median | |
| 077. | Tangential learning is the | | |
| | (A) Organized learning outside the formal learning system | | |
| | (B) Process by which people will self educa already enjoy | te if a topic is exposed to them in a context that they | |
| | (C) Technique which avoids understanding, the inner complexion and interference of the subject | | |
| | (D) Learning that takes place whether a tea | acher student relationship | |
| 078. | The curriculum is made in the class room for fate for her students by what and how she t | it is the teacher who largely determines the educational teaches: | |
| | (A) Societal curriculum | (B) Institutional curriculum | |
| | (C) Instructional curriculum | (D) Personalized curriculum | |
| 079. | The nurse manager to examine, justify each | n cost of every programme both old and new is: | |
| | (A) Zero base budget | (B) Sanset budget | |
| | (C) Rollova budget | (D) Flexible budget | |
| 080. | As a new nursing professional development | t practitioner, the mastery of which skill is most: | |
| | (A) Communicating effectively | (B) Coordinating programs | |
| | (C) Managing resources | (D) Serving as facilitator | |

| 081. | The credit system also known as: | |
|------|---|---|
| | (A) Record keeping | (B) Academic book keeping |
| | (C) Anecdotal record | (D) Cumulative record |
| 082. | Creation of new values have no fixed aims or | goals of education is: |
| | (A) Naturalism | (B) Pragmatism |
| | (C) Idealism | (D) Realism |
| 083. | An index that summarizing the degree of relation | tionship between two variables, is termed as: |
| | (A) Co-efficient | (B) Correlation |
| | (C) Standard deviation | (D) Normal deviation |
| 084. | The difference between the mean of a research sample is known as the: | her's sample and the mean of the population of the |
| | (A) Significance level. | (B) Confidence interval |
| | (C) Sampling error | (D) Standard deviation |
| 085. | One of the following staffing models is based based on changes in patient acuity: | on the idea that staffing levels should be adjusted |
| | (A) Functional staffing model | (B) Acuity-based staffing model |
| | (C) Team nursing model | (D) Primary nursing model |
| 086. | The consistency of the assessment tool of a achieves the same score is: | test and is given on more than one occasion and |
| | (A) Validity | (B) Reliability |
| | (C) Objectivity | (D) Practibility |
| 087. | One of the following should be included in eff | icient material management in hospital: |
| | (A) A list of materials | (B) Procurement |
| | (C) Taking and inventory | (D) All of the above |
| 088. | The leadership style where a leader leaves the | e group entirely to itself is called: |
| | (A) Autocratic | (B) Democratic |
| | (C) Consultative | (D) Laissez-faire |
| 089. | Followings are the example of innovation in n | ursing except: |
| | (A) Ambulatory care nursing | (B) Faith community nursing |
| | (C) Travel nursing | (D) Home nursing |
| 090. | The M-phase has been broken down into seve | eral distinct phase, sequentially known as: |
| | (A) Prophase, Metaphase, Anaphase, Telopha | se & cytokinesis |
| | (B) Metaphase, Anaphase, Telophase, cytokin | esis & Prophase |
| | (C) Cytokinesis, Anaphase, Metaphase, Telop | hase & Prophase |
| | (D) Prophase, cytokinesis Telophase Metapha | se & Anaphase |
| 091. | A client expresses the belief that armed forces | are out to kill him. This is an example of: |
| | (A) Hallucinations | (B) Delusion of persecution |
| | (C) Delusion of infidelity | (D) Derealization |

- 092. Older adults have reached Erikson's developmental stage of ego integrity when they:
 - (A) Acknowledge that one cannot get everything one wants in life
 - (B) Assess their lives and identify actions that had value and purpose
 - (C) Express a wish that life could be relived differently
 - (D) Feel that they are being punished for things they did not do.
- 093. A newborn's five-minute APGAR score is 5. The nursing interventions should be included on:
 - (A) Routine post-delivery care
 - (B) Continue to monitor and reassess the APGAR score in 10 minutes.
 - **(C)** Some resuscitation assistance such as oxygen and rubbing baby's backand reassess APGAR score.
 - (D) Full resuscitation assistance is needed and reassess APGAR score
- 094. A client with group AB blood whose husband has group O has just given birth. The major sign of ABO blood incompatibility in the neonate is which complication or test result:
 - (A) Negative Coombs test (B) Bleeding from the nose and ear
 - (C) Jaundice after the first 24 hours of life (D) Jaundice within the first 24 hours of life

(B) Respiratory rate 13/min

- 095. After admission of the postoperative patient to the clinical unit, which assessment data require the most immediate attention:
 - (A) Oxygen saturation of 85%
 - (C) Temperature of 100.4* F (D) Blood pressure of 90/60 mm hg
- 096. A patient is recovering from second and third degree over 30% of his body and is now ready for discharge. the first action the nurse should take when meeting with patient would be:
 - (A) Arrange return-to-clinic appointment and prescription for pain medications
 - (B) Review the patient current health care status and readiness for discharge at home
 - (C) Teach the patient and the caregiver proper wound care to be performed at home
 - (D) Give the patient written discharge information and websites for discharge to home
- 097. Patient fall resulting in hip fracture is a:
 - (A) Sentinel event (B) Near miss
 - (C) Minor adverse event (D) None of above

098. An old practice which was often conducted via post care:

- (A) Hospice care (B) Home care
 - (C) Absentia care (D) Holistic care
- **099.** Code of ethics for a nurse include except:
 - (A) The primary responsibility of a nurse is to provide care to those people who require it
 - (B) A nurse maintains a cooperative relationship with co-workers
 - (C) A nurse is not responsible for maintaining highest standard of nursing care
 - (D) The nurse shares with other citizens the responsibility for initiating and supporting action to meet the health needs of the public
- 100. A patient with a MEWS score of 5 or higher typically requires:
 - (A) Routine monitoring (B) Increased observation
 - (C) Urgent medical attention (D) Immediate resuscitation

101. Blood flow increases in the wound before scar formation Excessive healing leads to formation of:

(B) Exudation

(A) Keloid

(D) Ulcer

(C) Scar

- 102. The nurse is caring for a patient newly admitted with heart failure secondary to dilated cardiomyopathy. Which intervention would be a priority:
 - (A) In courage care givers to learn CPR
 - (B) Consider a consolation with hospice for palliative care
 - (C) Monitor the patient's response to prescribed medications
 - (D) Arrange for the patient to enter a cardiac rehabilitation programme
- 103. Sociogram is defined as:
 - (A) A teacher made device that is used to provide additional information regarding a student and hoe he/she interact with peer
 - (B) A method of tracking the energy vectors of IPR in a group.
 - (C) A set of numerical values assigned to responses, representing the degree of which subject possesses a particular attitude
 - (D) A response that imply various scores
- 104. The assessments for which range of answers or solution might be considered correct is:

| (A) Internal assessment | (B) External assessment |
|-------------------------|-------------------------|
| | |

- (C) Convergent assessment (D) Divergent assessment
- 105. For each cycle of Cardiopulmonary Resuscitation (CPR) how many compression and breaths should you do:
 - (A) 15 compressions, 2breaths (B) 30 compressions, 5 breaths
 - (C) 30 compressions, 2breaths (D) 15 compressions, 5 breaths
- 106. A patient who has bronchiectasis asks the nurse, "What conditions would warrant a call to the clinic:
 - (A) Blood clots in the sputum
 - (B) Sticky sputum on the hot day
 - (C) Increased shortness of breath
 - (D) Production of large amounts of sputum on a daily basis.
- 107. The premature fusion of one or more cranial sutures, either major or minor is called:
 - (A) Hydrocephalus (B) Craniosynostosis
 - (C) Microcephaly (D) Macrocephaly
- **108.** The physical manifestation of fetal alcohol syndrome includes is:
 - (A) Abnormal facial tissue, cleft lips & cleft palate
 - (B) Hepatomegaly, hypotonia and micorpthalmia
 - (C) Hyperbilirubinemia, jaundice and failure to thrive
 - **(D)** Microcephaly and intra uterine growth restriction

| 109. | Following is not included in Standard Infection Control Precautions: | |
|------|--|---|
| | (A) Management of blood and bodily fluid spillage | |
| | (B) Patient's personal hygiene | |
| | (C) Safe handling of linen | |
| | (D) Cleanliness of care equipment | |
| 110. | Priority nursing management for a patient wi | th a myocarditis includes intervention related to: |
| | (A) Meticulous skin care | (B) Antibiotic prophylaxis |
| | (C) Tight glycemic control | (D) Oxygenation and ventilation |
| 111. | One of the following is the most important cau to exclude: | se of jaundice presenting in the first 24 hours of life |
| | (A) Prematurity | (B) Haemolysis |
| | (C) Breastfeeding | (D) Early onset sepsis |
| 112. | Failure to thrive is a term given to infants wh | ose rate of: |
| | (A) Growth of height is impaired | (B) Weight gain is sluggish |
| | (C) Heart rate is increased | (D) Respiratory rate is low |
| 113. | The tendency of an offspring to resemble its p | oarent is known as: |
| | (A) Variation | (B) Heredity |
| | (C) Resemblance | (D) Inheritance |
| 114. | The smallest unit of genetic material which p | roduces a phenotypic effect on mutation is: |
| | (A) Gene | (B) Muton |
| | (C) Nucleic acid | (D) Recon |
| 115. | The recommended intensity of phototherapy | for newborns with hyperbilirubinemia is: |
| | (A) 10-20 μW/cm²/nm | (B) 20-30 μW/cm²/nm |
| | (C) 30-40 µW/cm²/nm | (D) 40-50 µW/cm ² /nm |
| 116. | Geophagia is another term for: | |
| | (A) Thumb sucking | (B) Nail biting |
| | (C) Pica | (D) Speech problem |
| 117. | While obtaining subjective assessment data fro that a modifiable risk factor for the developm | om a patient with hypertension, the nurse recognizes ent of hypertension is: |
| | (A) A low-calcium diet | (B) Excessive alcohol consumption |
| | (C) A family history of hypertension | (D) Consumption of a high-protein diet |
| 118. | In teaching a patient with hypertension about | controlling the condition, the nurse recognizes that: |
| | (A) All patients with elevated B.P. required medication | |
| | (B) Obese persons must achieve a normal weight to lower B.P. | |
| | (C) It is not necessary to limit salt in the diet | if taking a diuretic |
| | (D) Lifestyle modifications are indicated for all persons with elevated B.P. | |

- 119. A patient was seen in the clinic for an episode of epistaxis, which was controlled by placement of anterior nasal packing. during discharge teaching, the nurse instructs the patient to:
 - (A) Use aspirin for pain relief
 - (B) Remove the packing later that day
 - (C) Skip the next dose of antihypertensive medication
 - (D) Avoid vigorous nose blowing and strenuous activity
- 120. Nursing action would be of highest priority when suctioning a patient with tracheostomy is:
 - (A) Auscultating lung sound after suctioning is complete
 - (B) Providing a means of communication for the patient during procedure
 - (C) Assessing the patient's oxygenation saturation before during, and after suctioning
 - (D) Administering pain and/ or antianxiety medication 30 minutes before suctioning
- 121. Hildegard Peplau is known for developing which nursing theory:
 - (A) Theory of Human Caring (B) Interpersonal Relations Theory
 - (C) Adaptation Model (D) Health Promotion Model

122. The following condition has an increased risk to developing hyperkaliemia:

- (A) Crohn's disease (B) Cushing's disease
- (C) Chronic heart failure (D) End-stage renal disease
- 123. A patient is admitted to the PACU after major abdominal surgery, during the initial assessment the patient tells the nurse he thinks he is going to 'throw up'. a priority nursing intervention would be to:
 - (A) Increase the rate of the IV fluids
 - (B) Obtain vital signs, including O2 saturation
 - (C) Position patient in lateral recovery position
 - (D) Administer antiemetic medication as ordered
- 124. When caring for patient with lung abscess, what is the nurse's priority intervention:
 - (A) Postural drainage (B) Antibiotic administration
 - (C) Obtaining a sputum specimen (D) Patient teaching regarding home care
- 125. Neonates compression ventilation ratio:
 - (A) 1:1 (B) 1:2 (C) 3:1 (D) 1:4
- 126. Choose the situation least likely to result in a high- risk newborn:
 - (A) Smoking by the mother
 - (B) Maternal illness
 - (C) Premature rupture of the membranes
 - **(D)** Maternal consumption of 2,500 calories per day
- 127. The anterior fontanel closes at _____ month of age:
 - (A) 12-18 months (B) 6-8 months
 - (C) 12-18 weeks (D) 6-8 weeks

| 128. | After removal of tonsils by surgery (tonsillectomy) a child starts to vomit light red blood. One of the following interventions will be most appropriate initial nursing action: | |
|------|--|---|
| | (A) Administer oxygen | (B) Turn the child to his side |
| | (C) Inform the doctor immediately | (D) Administer antiemetic drug |
| 129. | Obsessive compulsive disorder is a: | |
| | (A) Dissociative disorder | (B) Adjustment disorder |
| | (C) Anxiety disorder | (D) Mood disorder |
| 130. | A short-term goal for a patient with Alzhein | ner's disease is: |
| | (A) Improved functioning in the least restric | etive environment |
| | (B) Improved problem solving in activities of | f daily living. |
| | (C) Increased self-esteem and improved self- | -concept. |
| | (D) Regained sensory perception and cognit | ive function. |
| 131. | The major advantage of a venture mask is the | hat it can: |
| | (A) Deliver up to 80% | (B) Provide continuous 100% humidity |
| | (C) Deliver a precise concentration of O_2 | (D) Be used while a patient eats and sleeps |
| 132. | A complication of the hyperviscocity of poly | cythemia is: |
| | (A) Thrombosis | (B) Cardiomyopathy |
| | (C) Pulmonary edema | (D) Disseminated intravascular coagulation (DIC) |
| 133. | An example of occupational hazards: | |
| | (A) Cystic fibrosis | (B) Rheumatoid arthritis |
| | (C) Systemic lupus Erythematosus | (D) Silicosis |
| 134. | Three tier system of health care delivery in | rural area based on the recommendation of: |
| | (A) Bhore Committee | (B) Mudaliar committee |
| | (C) Shrivastava committee | (D) Kartar singh committee |
| 135. | The following is the false statement of place | nta previa: |
| | (A) Associated with toxemia | (B) Painless recurrent bleeding |
| | (C) Maternal blood loss | (D) Severe bleeding may occur |
| 136. | The following is the false statement of placen chance of: | ta previa, vaginal examination is contradicted due to |
| | (A) Infection | (B) Hemorrhage |
| | (C) Discomfort | (D) Precipitate labor |
| 137. | GOBI campaign is promoted by: | |
| | (A) UNICEF | (B) FAO |
| | (C) WHO | (D) UNDP |
| 138. | Under NRHM ASHA covers the population | of : |
| | (A) 500 | (B) 1000 |
| | (C) 2000 | (D) 4000 |
| | | |

| 139. The role of community health nurse in a disaster response team is to | | aster response team is to: | | |
|---|--|--|--|--|
| | (A) Conducting surgery | (B) Providing emergency shelter | | |
| | (C) Coordinating public health efforts | (D) Repairing infrastructure | | |
| 140. | The criteria for global health includes excep | t: | | |
| | (A) Health problems that transcend national borders | | | |
| | (B) Health problems that are best addressed | (B) Health problems that are best addressed by cooperative actions and solutions | | |
| | (C) Concern for all | | | |
| | (D) Health problems of selected areas only | | | |
| 141. | A 65-year-old woman has decreased facial expression and is slow in her movements. When she walks, she is hunched over and takes small steps. It does not take much for her to lose her balance. What type of gait abnormality does she have: | | | |
| | (A) Hemiplegic | (B) Spastic diplegic | | |
| | (C) Parkinsonian | (D) Ataxic | | |
| 142. | The most common type of glomerulonephrit | is associated with chronic kidney disease is: | | |
| | (A) IgA nephropathy | (B) Focal segmental glomerulonephritis | | |
| | (C) Minimal change disease | (D) Post-streptococcal glomerulonephritis | | |
| 143. | The distribution is skewed to the left than it is: | | | |
| | (A) Positively skewed | (B) Negatively skewed | | |
| | (C) Symmetrical skewed | (D) Asymmetrical slewed | | |
| 144. | An example of a primary prevention activity | in school health nursing: | | |
| | (A) Conducting hearing test for students | | | |
| | (B) Teaching students how to manage chronic illness like asthma | | | |
| | (C) Administering first aid for injuries | | | |
| | (D) Promoting a healthy diet and regular physical activity to prevent childhood obesity | | | |
| 145. | One of the following instrument may be used to assess the likelihood of a stroke patient being able to manage at home subsequent to hospital discharge: | | | |
| | (A) Glasgow coma scale | (B) APGAR score | | |
| | (C) Braden scale | (D) Barthel scale | | |
| 146. | When reviewing the patient's hematologic laboratory values after a splenectomy, the nurse would expect to find: | | | |
| | (A) Leukopenia | (B) RBC abnormalities | | |
| | (C) Decreased hemoglobin | (D) Increased platelet count | | |
| 147. | Disruption or disorganization of biological r | hythm is observed in: | | |
| | (A) Anxiety | (B) Depression | | |
| | (C) Schizophrenia | (D) Mania | | |
| 148. | All true about conversion disorder except: | | | |
| | (A) Presence of secondary gain | | | |
| | (B) Onset in late stage | | | |
| | (C) Patient does not consciously produce symptom | | | |
| | (D) Relation with stress | | | |

| 149. | Infant conditions as contraindications to breastfeeding include all, except: | | |
|------|--|--|--|
| | (A) Galactosemia | (B) Glucose-6-phosphate dehydrogenase deficiency | |
| | (C) Maple syrup urine disease | (D) Phenylketonuria | |
| 150. | A newborn with drooling of saliva with respiratory distress on the very first day of life is most likely suffering from: | | |
| | (A) Tracheoesophageal fistula | (B) Congenital diaphragmatic hernia | |
| | (C) Immature lung syndrome | (D) Achalasia cardia | |
| 151. | Psychogenic amnesia is characterized by: | | |
| | (A) Anterograde amnesia | (B) Retrograde amnesia | |
| | (C) Both with confabulation | (D) Patchy impairment of personal memories | |
| 152. | False regarding anorexia nervosa: | | |
| | (A) Psychiatric symptom such as depression may be associated | | |
| | (B) Excessive exercising can be a feature | | |
| | (C) Weight loss is a feeling | | |
| | (D) Decreased appetite is a feature | | |
| 153. | In placenta previa, vaginal examination is contraindicated due to chance of: | | |
| | (A) Infection | (B) Hemorrhage | |
| | (C) Discomfort | (D) Precipitate labour | |
| 154. | When the combined duration of the first and second stage is less than two hours the labour is called: | | |
| | (A) Preterm labour | (B) Short labour | |
| | C Precipitate labour | (D) Sudden labour | |
| 155. | Ability to form a concept and generalize is known as: | | |
| | (A) Concrete thinking | (B) Abstract thinking | |
| | (C) Intellectual thinking | (D) Delusional thinking | |
| 156. | The husband involve in battered wife syndrome is usually: | | |
| | (A) Dependent and suspicious | (B) Mature and assertive husband | |
| | (C) Immature and assertive | (D) Mature and non controlling | |
| 157. | The assessment following an amniotomy should be conducted first: | | |
| | (A) Cervical dilation | (B) Bladder distention | |
| | (C) Fetal heart rate pattern | (D) Maternal blood pressure | |
| 158. | The oedema of the scalp of fetal head is known as: | | |
| | (A) Caput succedaneum | (B) Cephalhematoma | |
| | (C) Intracranial haemorrhage | (D) Skull fracture | |
| 159. | The name of the community health worker program launched under the NRHM? | | |
| | (A) Auxiliary Nurse Midwife | (B) Accredited Social Health Activist | |
| | (C) Anganwadi Worker | (D) Community Health Worker | |

| 160. | The components of national mental health program are: | | |
|------|--|---|--|
| | (A) Treatment, rehabilitation, prevention and promotion | | |
| | (B) Promotion, treatment and diagnosis | | |
| | (C) Rehabilitation, promotion and prevention | | |
| | (D) Promotion, prevention and recommendation | | |
| 161. | A postpartum woman presents with fever, lower abdominal pain, and foul-smelling lochia. What is the most likely diagnosis: | | |
| | (A) Endometritis | (B) Postpartum depression | |
| | (C) Uterine rupture | (D) Retained placenta | |
| 162. | The Human Papilloma virus (HPV) vaccine protect against strains: | | |
| | (A) Gardasil 1 | (B) Cervasix | |
| | (C) Gardasil 9 | (D) Cervasix 9 | |
| 163. | Multiple drugs are often used in combinations | s to treat leukemia and lymphoma because: | |
| | (A) There are fewer toxic and side effects | | |
| | (B) The chance that one drug will be effective is increased | | |
| | (C) The drugs are more effective without causing side effects | | |
| | (D) The drugs work by different mechanisms to maximize killing of malignant cells | | |
| 164. | When reviewing the patient's hematologic laboratory values after a splenectomy, the nurse would expect to find: | | |
| | (A) Leucopenia | (B) RBC abnormalities | |
| | (C) Decreased hemoglobin | (D) Increased platelet count | |
| 165. | Sleepwalking is also known as: | | |
| | (A) Somniloquy | (B) Enuresis | |
| | (C) Somnambulism | (D) Seizures | |
| 166. | The following is not a commonly recognized highly co-morbid disorder among youth with autism: | | |
| | (A) Anxiety | (B) Depression | |
| | (C) ADHD | (D) Reactive attachment disorder | |
| 167. | Suicide risk is seen in all except: | | |
| | (A) Social isolation | (B) Male sex | |
| | (C) Drug dependence | (D) Somatization | |
| 168. | Population-focused nursing practice requires one of the following processes: | | |
| | (A) Community organizing | (B) Nursing process | |
| | (C) Community diagnosis | (D) Epidemiologic process | |
| 169. | Chikungunya fever is caused by: | | |
| | (A) Bacteria borne disease | (B) Viral borne disease | |
| | (C) Protozoal disease | (D) Fungal disease | |
| 170. | Negri bodies are seen in: | | |
| | (A) Rabies | (B) HIV/AIDS | |
| | (C) Tuberculosis | (D) Encephalitis | |

| 171. | Types of dramatization include, except: | |
|------|---|-----------------------------------|
| | (A) Play lets | (B) Pageant |
| | C) Think pair share | (D) Pantomime |
| 172. | Method of assignment include all, except: | |
| | (A) Patent method | (B) Functional method |
| | (C) Learning method | (D) Team method |
| 173. | The following is not the main focus of RCH phase-II programme: | |
| | (A) Family Planning | (B) Essential obstetric care |
| | (C) Emergency obstetric care | (D) Strengthening referral system |
| 174. | The programme uses "Pre-packed color-code | ed kits" for treatment is: |
| | (A) AIDS control program | (B) STD control program |
| | (C) Cancer control program | (D) Malaria control program |
| 175. | 5. One of the following is not the characteristics exhibited by Laissez-faire leader: | |
| | (A) Some are authoritatively directed | |
| | (B) Develop communication with members horizontally and vertically is the hierarchy | |
| | (C) Continue with the leadership role with the support of the members and workers in the fi | |
| | (D) Act as a passive leader with no controlling power over his/her subordinates | |
| 176. | VED analysis of inventory control stands for | : |
| | (A) Value, engineering & desirable | (B) Value, essential & desirable |
| | (C) Vital, essential & desirable | (D) Value essential & demand |
| 177. | An intense urge to set fire to objects with feeling of tension before the act and a sense of relict afterwards: | |
| | (A) Kleptomania | (B) Pyromania |
| | (C) Pathological gambling | (D) Tricchotillo |
| 178. | The symptom of Autism Spectrum Disorder | (ASD) usually emerged at age: |
| | (A) 6-11 month | (B) 25-28 months |
| | (C) 5-10 months | (D) 12-18 month |
| 179. | First in first out principles to be followed as: | |
| | (A) Purchase | (B) Storage |
| | (C) Procurement | (D) Condemned |
| 180. | Free rein direction means: | |
| | (A) Authority control the subordinates to do work | |
| | (B) Authority allows subordinate to do work | |
| | C Both authority and subordinates discuss freely, subordinates plays major role in taking decision | |
| | (D) None of the above | |

| 181. | Complete the sentence. A hypothesis is: | | |
|------|---|--|--|
| | (A) A statement, which serves as the basis for further investigation. | | |
| | (B) The methodical evaluation of research evidence. | | |
| | (C) A statement of the aims of an investigation. | | |
| | (D) All of these. | | |
| 182. | During research the characteristics and attributes under study are called: | | |
| | (A) Assumption | (B) Variables | |
| | (C) Hypothesis | (D) Delimitation | |
| 183. | Functional nursing is a method of providing: | | |
| | (A) Equipment care | (B) Care of records | |
| | (C) Case management | (D) Patient care | |
| 184. | Primary focus of global health initiatives in nursing: | | |
| | (A) Improving access to healthcare | (B) Reducing health disparities | |
| | (C) Enhancing cultural competency | (D) Addressing social determinants of health | |
| 185. | Chat GPT's responses are generated based on: | | |
| | (A) Predefined templates | (B) Uses input and trained data | |
| | (C) Randomization | (D) Hardcoded rules | |
| 186. | The main purpose of employee assessment is: | | |
| | (A) To effect promotions based on competence and performance | | |
| | (B) Making correct decisions | | |
| | (C) Establish job expectation | | |
| | (D) None of the above | | |
| 187. | Types of organization conflict include, except: | | |
| | (A) Interpersonal conflict | (B) In-house conflict | |
| | (C) Inter-organization conflict | (D) Inter group conflict | |
| 188. | The process of getting activities completed efficiently and effectively with and through other people is: | | |
| | (A) Leading | (B) Management | |
| | (C) Supervision | (D) Controlling | |
| 189. | The following is not an element of management: | | |
| | (A) Organizing | (B) Staffing | |
| | (C) Commanding | (D) Reporting | |
| 190. | Purpose of ABC analysis in material management is: | | |
| | (A) To determine stocking | (B) To control purchasing | |
| | (C) To control inventories | (D) To control obsolescence | |
| 191. | Conjunctive bargaining is: | | |
| | (A) It tends to be more co-operative | | |
| | (B) Economic issue like wages, salaries and bonus are discussed | | |
| | (C) Management control over workplace relations | | |
| | (D) Wages with equity | | |

| 192. | In random assignment to groups is nev theindependent variable: | er possible and the researcher cannot manipulate | |
|------|--|---|--|
| | (A) Basic research | (B) Quantitative research | |
| | (C) Experimental research | (D) Causal-comparative and correlational research | |
| 193. | When an extraneous variable systematically varies with the independent variable and influences the dependent variable, it is called: | | |
| | (A) Another dependent variable | (B) A confounding variable | |
| | (C) A moderating variable | (D) An unreliable variable | |
| 194. | The hallmark clinical sign of amniotic fluid embolism is: | | |
| | (A) Slow onset of fever & hypotension | | |
| | (B) Sudden onset of respiratory distress, hypotension | | |
| | (C) Gradual dsic in fetal movement | | |
| | (D) Excessive uterine contraction. | | |
| 195. | In which fetal blood vessel oxygen content is the highest: | | |
| | (A) Umblical vein | (B) Umblical artery | |
| | (C) Dectus arteriosis | (D) Dectus venous | |
| 196. | Diabetes insipidus result from: | | |
| | (A) Hyposecretion of insulin | (B) Hypersecretion of insulin | |
| | (C) Hyposecretion of ADH | (D) Hypersecretion of ADH | |
| 197. | The doctor communicates with the patient in real time via computer or telephone: | | |
| | (A) Telehealth | (B) Synchronous | |
| | (C) Asynchronous | (D) Remote patient monitoring | |
| 198. | The condition in which there is no explusion of the placenta even after half hours of the birth of baby is called : | | |
| | (A) Retained placenta | (B) Placenta previa | |
| | (C) Abrecptio placenta | (D) Placenta accrete | |
| 199. | Bleeding in the first trimester with no uterine contraction of pain & no uterine contraction of pain & no dilation of cervix indicate: | | |
| | (A) Inevitable abortion | (B) Threatened abortion | |
| | (C) Missed Abortion | (D) Complete Abortions | |
| 200. | SWOT stand for: | | |
| | (A) Sales, Weaknesses, Opportunities, Threats | | |
| | (B) Strengths, Weaknesses, Opportunities, Tactics | | |
| | (C) Strengths, Weaknesses, Opportunities, Threats | | |
| | (D) Strategies, Weaknesses, Opportunities, Threats | | |